# Kansas Department of Agriculture Division of Water Resources

#### **PERMIT OF NEW APPLICATION WORKSHEET**

1. File Number:	2. Status Change Date:	3. Field Office:	4. GMD:
49,689 A	11/1/2016	01	0
5. Status: Approved Denied by	/ DWR/GMD [	Dismiss by Request/Failure	to Return
6. Enclosures: ⊠ Check Valve ⊠ N of C Form	n ☐ Water Tube	☐ Driller Copy	] Meter
7a. Applicant(s) Person ID 2 New to system ☐ Add Seq#	7c. Landown New to sy		Person ID Add Seq#
KANSAS SAND & CONCRETE INC PO BOX 656 TOPEKA KS 66601			
7b. Landowner(s) Person ID _ New to system ☐ Add Seq# _	7d. Misc. New to sy		Person IDAdd Seq#
7a.			
8. WUR Correspondent Person ID New to system Add Seq# Overlap File (s) WUC Agree Yes No	9. Use of Wat	• •	Surface Water
7a.	□ sтк	SED	OOM CON
	☐ HYD DRG		RT RECHRG
10. Completion Date: <b>12/31/2017</b> 11. Pe	erfection Date:12/31/20	<b>021</b> 12. Exp Da	te:
13. Conservation Plan Required? ☐ Yes ☒ No Date Re	equired: Date	Approved: Da	ate to Comply:
14. Water Level Measuring Device? ☐ Yes ☒ No D	ate to Comply:	Date WLMD Insta	lled:
		Date Prepared: 10/20/2	

File No.	49,689	A			15. F	ormat	ion Cod	e: 113			Drain	age E	asin:	Kansa	s Rive	r	C	County:	SN		Spe	cial Us	se:		Stream:			
T MOD	nts of Diver	sion															17.	Rate	and Q Autho	•				Addition	nal			
DEL ENT	PDIV		Qual	lifier		S	Т	R	ID	)	'N		'W				II	Rate gpm			intity gy		Rate gpm		Quantity mgy	Over	lap PD Files	
1	67077	SI	E SV	N N	E	30	118	16E	11	2	975		1912	2				100		1	0	_	100		10		44,985	
WASH	WELL-H	/PO	THE	TICA	L SE	C 30	IN KA	W HA	LF BI	REED	IND	AN I	LANE	SUR	RVEY	#3						_						
									_						_									-		<u></u>		
																	-			-								
18. Stora	age: Rate						NF								Α	ddition	nal Ra	te				NF	Add	itional Qu	uantity		ac/ft	
										g	pm (_																	_
Limit	ation:		af/yr a	at				gpm				_ cfs)	when	comb	ined w	ith file	numb	er(s				-						=
20. Mete	r Required	? 区	] Yes		No		То	be insta	illed b	У		1:	2/31	/2017	7		_ D	ate Ac	ceptab	ole Met	er Instal	led	<u></u>			_		
T	e of Use							NE	1/4	<del>-</del>		N	W1/4			SV	V¹/₄			s	E¼		Total	Owner	Chg?	NO	Overlap Files	
MOD DEL FNT	PUSE	s	т	R	IC	)	NE	NW 1/4	SW 1/4	SE ¼	NE 1⁄4	NW 1/4	SW 1/4	SE ¼	NE 1⁄4	NW ¼	sw ¼	SE ¼	NE ¼	NW 1/4	SW 1/4	SE 1/4						
√ 2					<u> </u>			SAND	PLA	NT (	N2);	HYI		EC 3			F BF	REED	IND	IAN L	ANDS	•		7a	N	0	44,98	5
									_																			
Commer	nts:																											

## KANSAS DEPARTMENT OF AGRICULTURE Division of Water Resources

#### MEMORANDUM

TO: Files

**DATE:** October 20, 2016

FROM: Doug Schemm

**RE:** Application, File No. 49,689 A

(Converted Term Application, File No. 20169074)

Kansas Sand & Concrete Inc. has filed the above referenced new application (File No. 49,689 A) to appropriate 10 million gallons (30.7 acre-feet) of groundwater at a rate of diversion not to exceed 100 gallons per minute for industrial use from an existing well. The well is currently authorized under Water Right, File No. 44,985, and the industrial use is for sand washing at an existing sand plant located in the North Half of Section 30, Township 11 South, Range 13 East, Shawnee County.

PLEASE NOTE: The applicant had filed an Application for Term Permit, File No. 20169074 requesting additional water for this existing sand and gravel operation. However the proposed use of water is a long duration project, therefore this term permit was converted into Application To Appropriate Water, File No. 49,689 A. This will also better serve the applicant, because they will not have to continually file replacement term permits. This new application will provide the applicant with additional water at this existing sand plant, because the senior file exceeded its authorized quantity of water. The initial term application was signed by a representative of the company stating that they have access to the point of diversion.

The proposed quantity was calculated as follows:

70.000 yards of sand x 200 gallons per yard = 14 million gallons

The point of diversion consists of a single well completed in the Kansas River alluvium. The application is not subject to safe yield criteria based on a determination under senior File No. 44,985. Lee Rolfs, KDA Legal counsel at that time, interpreted K.A.R. 5-3-10(b)(2) to exempt uses of water that have "no significant consumptive use" from safe yield criteria in K.A.R. 5-3-11. The applicant has stated that water used for sand washing discharges into the Kansas River.

The only well within one-half mile is the applicant's nearby "Batch Plant Well" authorized under File No. 43,436, which is located just over 100 feet away and is part of the same sand plant operation. Obviously, both of these well has been in place for many years, and there is no indication that they interfere with each other in any way. In addition, senior file documentation has the results of a Theis analysis that shows the maximum drawdown at the adjacent well would be less than 2 feet. With saturated thickness of over 60 feet, this drawdown is not significant. The wells are adjacent to the Kansas River, and both wells have relatively low pumping rates and quantities of water. Therefore, per K.A.R. 5-4-4, the recommended minimum well spacing criteria is not necessary to prevent direct impairment in this specific instance, and the proposed well spacing is sufficient to prevent direct impairment and to protect the public interest.

The Kansas River Water Assurance District No. 1 was notified of receipt of this application on October 17, 2016 in order to fully inform them of the proposed location of the applicant's point of diversion and proposed use of water. This notification was as per the KSWAD Program Operations Agreement, which states, in part, "the District reserves the right to review all applications to appropriate water and change applications, including term permits, filed with the Division of Water Resources that propose the diversion of water from the Kansas River or its alluvium". No response has been received from the District.

Kansas Sand & Concrete, Inc. File No. 49,689 A Page 2

In accordance with K.S.A. 82a-706c, the Chief Engineer retains full authority to require any water user to install meters, gages, or other measuring devices, which devices he or she or his or her agents may read at any time. Water flowmeter requirements are further described in K.A.R. 5-1-4 through K.A.R 5-1-12. If any chemicals will be injected into the water pumped under this permit, a check valve will also be required.

Katie Tietsort, Water Commissioner of the Topeka Field Office, recommended approval of the referenced application in an October 18, 2016 e-mail.

Based on the above discussion, the application is exempt from safe yield due to non-consumptive use of water, approval will address an over-pumping problem, the point of diversion meets well spacing criteria, and approval will not impair senior water rights, it is recommended that the referenced application be approved.

Doug Schemm Environmental Scientist Topeka Field Office 1320 Research Park Drive Manhattan, Kansas 66502 (785) 564-6700



900 SW Jackson, Room 456 Topeka, Kansas 66612 (785) 296-3556

Jackie McClaskey, Secretary

Governor Sam Brownback

November 4, 2016

KANSAS SAND & CONCRETE INC % DAN WOODWARD PO BOX 656 TOPEKA KS 66601

FILE COPY

Re:

Appropriation of Water, File No. 49,689 A

Dear Mr. Woodward:

There is enclosed a permit to appropriate water authorizing you to proceed with construction of the proposed diversion works (except those dams and stream obstructions regulated by K.S.A. 82a-301 through 305a), to divert such unappropriated water as may be available from the source and at the location specified in the permit, and to use it for the purpose and at the location described in the permit.

Your attention is directed to the enclosures and to the terms, conditions, and limitations specified in these approval documents. A water meter is required on the proposed diversion works and you must install it prior to water being put to beneficial use in order for you to maintain accurate records of water use. The meter should be used to provide the information required on the annual water use report.

Failure to notify the Chief Engineer of the Division of Water Resources of the completion of the diversion works within the time allowed, or within any authorized extension of time thereof, will result in the dismissal of this permit. Enclosed is a form which may be used to notify the Chief Engineer that the proposed diversion works have been completed. All requests for extensions of time to complete diversion works, or to perfect appropriations, must be submitted to the Chief Engineer before the expiration of time originally set forth in the permit to complete diversion works or to perfect an appropriation. If for any reason, you require an extension of time, you must request it before the expiration of time set forth in this permit. Failure to comply with this regulation will result in the dismissal of your permit or your water right. Any request for an extension of time shall be accompanied by the required statutory fee, which is currently \$100.00.

There is also enclosed an information sheet setting forth the procedure to obtain a Certificate of Appropriation which will establish the extent of your water right. If you have any questions, please contact our office. If you wish to discuss this specific file, please have the file number ready so that we may help you more efficiently.

Sincerely,

Brent A. Turney, P.G. / Change Application Unit Supervisor

Water Appropriation Program

BAT:dws Enclosures

pc: Topeka Field Office



#### KANSAS DEPARTMENT OF AGRICULTURE

Jackie McClaskey, Secretary of Agriculture

DIVISION OF WATER RESOURCES
David W. Barfield, Chief Engineer

# APPROVAL OF APPLICATION and PERMIT TO PROCEED

FILE COPY

(This Is Not a Certificate of Appropriation)

This is to certify that I have examined Application, File No. 49,689 A of the applicant

KANSAS SAND & CONCRETE INC PO BOX 656 TOPEKA KS 66601

for a permit to appropriate water for beneficial use, together with the maps, plans and other submitted data, and that the application is hereby approved and the applicant is hereby authorized, subject to vested rights and prior appropriations, to proceed with the construction of the proposed diversion works (except those dams and stream obstructions regulated by K.S.A. 82a-301 through 305a, as amended), and to proceed with all steps necessary for the application of the water to the approved and proposed beneficial use and otherwise perfect the proposed appropriation subject to the following terms, conditions and limitations:

- 1. That the priority date assigned to such application is **August 22, 2016**.
- 2. That the water sought to be appropriated shall be used for industrial use at a sand plant located in the North Half (N½) of hypothetical Section 30, in Kaw Half Breed Indian Land Survey Nos. 3 and 4, Township 11 South, Range 16 East, Shawnee County, Kansas.
- 3. That the authorized source from which the appropriation shall be made is groundwater, to be withdrawn by means of one (1) well located in the Southeast Quarter of the Southwest Quarter of the Northeast Quarter (SE½ SW½ NE½) of hypothetical Section 30, in Kaw Half Breed Indian Land Survey No. 3, more particularly described as being near a point 2,975 feet North and 1,912 feet West of the Southeast corner of said section, in Township 11 South, Range 16 East, Shawnee County, Kansas, located substantially as shown on the topographic map accompanying the application.
- 4. That the appropriation sought shall be limited to a maximum diversion rate not in excess of **100** gallons per minute (0.22 c.f.s.) and to a quantity not to exceed **10** million gallons (30.7 acre-feet) of water for any calendar year.
- 5. That installation of works for diversion of water shall be completed on or before **December 31**, **2017** or within any authorized extension thereof. The applicant shall notify the Chief Engineer and pay the statutorily required field inspection fee of \$400.00 when construction of the works has been completed. Failure to timely submit the notice and the fee will result in revocation of the permit. Any request for an extension of time shall be submitted prior to the expiration of the deadline and shall be accompanied by the required statutory fee of \$100.00.
- 6. That the proposed appropriation shall be perfected by the actual application of water to the proposed beneficial use on or before <u>December 31, 2021</u> or any authorized extension thereof. Any request for an extension of time shall be submitted prior to the expiration of the deadline and shall be accompanied by the required statutory fee of \$100.00.

- 7. That the applicant shall not be deemed to have acquired a water appropriation for a quantity in excess of the amount approved herein nor in excess of the amount found by the Chief Engineer to have been actually used for the approved purpose during one calendar year subsequent to approval of the application and within the time specified for perfection or any authorized extension thereof.
- 8. That the use of water herein authorized shall not be made so as to impair any use under existing water rights nor prejudicially and unreasonably affect the public interest.
- 9. That the right of the appropriator shall relate to a specific quantity of water and such right must allow for a reasonable raising or lowering of the static water level and for the reasonable increase or decrease of the streamflow at the appropriator's point of diversion.
- 10. That this permit does not constitute authority under K.S.A. 82a-301 through 305a to construct any dam or other obstruction; nor does it grant any right-of-way, or authorize entry upon or injury to, public or private property.
- 11. That all diversion works constructed under the authority of this permit into which any type of chemical or other foreign substance will be injected into the water pumped from the diversion works shall be equipped with an in-line, automatic quick-closing, check valve capable of preventing pollution of the source of the water supply. The type of valve installed shall meet specifications adopted by the Chief Engineer and shall be maintained in an operating condition satisfactory to the Chief Engineer.
- 12. That all wells with a diversion rate of 100 gallons per minute or more drilled under the authority of this permit shall have a tube or other device installed in a manner acceptable to, and in accordance with specifications adopted by, the Chief Engineer. This tube or device shall be suitable for making water level measurements and shall be maintained in a condition satisfactory to the Chief Engineer.
- 13. That an acceptable water flow meter shall be installed and maintained on the diversion works authorized by this permit in accordance with Kansas Administrative Regulations 5-1-4 through 5-1-12 adopted by the Chief Engineer. This water flow meter shall be used to provide an accurate quantity of water diverted as required for the annual water use report (including the meter reading at the beginning and end of the report year).
- 14. That the applicant shall maintain accurate and complete records from which the quantity of water diverted during each calendar year may be readily determined and the applicant shall file an annual water use report with the Chief Engineer by March 1 following the end of each calendar year. Failure to file the annual water use report by the due date shall cause the applicant to be subject to a civil penalty.
- 15. That no water user shall engage in nor allow the waste of any water diverted under the authority of this permit.
- 16. That failure without cause to comply with provisions of the permit and its terms, conditions and limitations will result in the forfeiture of the priority date, revocation of the permit and dismissal of the application.
- 17. That the right to appropriate water under authority of this permit is subject to any minimum desirable streamflow requirements identified and established pursuant to K.S.A. 82a-703c for the source of supply to which this water right applies.

This Order shall become a final agency action, as defined by K.S.A. 77-607(b), without further notice to the parties, if a request for hearing or a petition for administrative review is not filed as set forth below.

Request for Hearing. According to K.A.R. 5-14-3(c), any party who desires a hearing must submit a request within 15 days after the date shown on the Certificate of Service attached to this Order. Filing a request for a hearing will give you the opportunity to submit additional facts for consideration, contest any findings made by the Chief Engineer, or present any other information you believe should be considered in this matter. A timely-filed request for hearing will stay the deadline for requesting administrative review of this Order pending the outcome of the hearing.

Petition for Review. The applicant, if aggrieved by this Order, may petition for administrative review, pursuant to K.S.A. 82a-711(c) and K.S.A. 82a-1901(a). The petition must be filed within 30 days after the date shown on the Certificate of Service attached to this Order and must set forth the basis for the review, unless stayed by the timely filing of a request for hearing.

Any request for hearing or petition for administrative review shall be in writing and shall be submitted to the attention of: Chief Legal Counsel, Kansas Department of Agriculture, 1320 Research Park Drive, Manhattan, Kansas 66502, Fax: (785) 564-6777.

Ordered this | day of Overhow, 2016, in Topeka, Shawnee County, Kansas.

Lane P. Letourneau, P.G. Program Manager Water Appropriation Program Division of Water Resources Kansas Department of Agriculture

State of Kansas	)
	) SS
County of Riley	)

The foregoing instrument was acknowledged before me this day of lover 2016, by Lane P. Letourneau, P.G., Program Manager, Division of Water Resources, Kansas Department of Agriculture.

DANIELLE WILSON
My Appointment Expires
August 23, 2020

Notary Public

#### **CERTIFICATE OF SERVICE**

On this 4th day of wember, 2016, I hereby certify that the foregoing App	
Application and Permit to Proceed, File No. 49,689 A, dated November 1, 2016 was	mailed
postage prepaid, first class, US mail to the following:	

KANSAS SAND & CONCRETE INC PO BOX 656 TOPEKA KS 66601

With photocopies to:

Topeka Field Office

Division of Water Resources



#### KANSAS DEPARTMENT OF AGRICULTURE

Jackie McClaskey, Secretary of Agriculture

#### **DIVISION OF WATER RESOURCES**

David W. Barfield, Chief Engineer

File Number 49,689 A

This item to be completed by the Division of Water Resources.

This item to be completed by the Division of Water Resources.

## APPLICATION FOR PERMIT TO APPROPRIATE WATER FOR BENEFICIAL USE

Filing Fee Must Accompany the Application (Please refer to Fee Schedule attached to this application form.)

To the Chief Engineer of the Division of Water Resources, Kansas Department of Agriculture, 1320 Research Park Drive, Manhattan, KS 66502:

	City: TOPEKA		State: KS Z	Zip Code: 66601
	Telephone Number: (785	5) 235-6284	<del></del>	
2.	The source of water is:	☐ surface water in	(stream	
	OR	☑ groundwater in KAN	NSAS RIVER(drainage ba	•
	when water is released subject to these regulation	from storage for use by	ows established by law or may water assurance district mem e your application, you will be surces.	bers. If your application is
3.	The maximum quantity of	f water desired is 30.7	acre-feet OR 10 million	_ gallons per calendar year,
	to be diverted at a maxim	num rate of 100 gallons	ner minute OR	cubic feet per second
	to bo arrontoa at a maxim		per minute ort	cubic feet per second
	Once your application ha requested quantity of warequested maximum rate	as been assigned a priority ater under that priority no e of diversion and maxim	y, the requested maximum rate umber can <u>NOT</u> be increased um quantity of water are applied Division of Water Resources	e of diversion and maximum d. Please be certain your ropriate and reasonable for
4.	Once your application ha requested quantity of warequested maximum rate your proposed project an	as been assigned a priority ater under that priority no e of diversion and maxim	v, the requested maximum rate umber can <u>NOT</u> be increased um quantity of water are appl te Division of Water Resources	e of diversion and maximum d. Please be certain your ropriate and reasonable for
4.	Once your application ha requested quantity of warequested maximum rate your proposed project an The water is intended to least to the second	as been assigned a priority ater under that priority notes of diversion and maximod are in agreement with the	v, the requested maximum rate umber can <u>NOT</u> be increased um quantity of water are applied Division of Water Resources use intended):	e of diversion and maximum d. Please be certain your ropriate and reasonable for
4.	Once your application has requested quantity of was requested maximum rate your proposed project an The water is intended to It (a)   Artificial Recharge	as been assigned a priority ater under that priority note of diversion and maximal dare in agreement with the appropriated for (Check	v, the requested maximum rate umber can <u>NOT</u> be increased um quantity of water are applied Division of Water Resources use intended):  (c) □ Recreational	e of diversion and maximum d. Please be certain your ropriate and reasonable for s' requirements.
4.	Once your application has requested quantity of was requested maximum rate your proposed project and The water is intended to let (a) ☐ Artificial Recharge (e) ☑ Industrial	as been assigned a priority nater under that priority note of diversion and maximad are in agreement with the appropriated for (Check (b)	v, the requested maximum rate umber can <u>NOT</u> be increased um quantity of water are applied Division of Water Resources use intended):  (c) □ Recreational	e of diversion and maximum d. Please be certain your ropriate and reasonable for s' requirements.  (d)   Water Power
4.	Once your application has requested quantity of was requested maximum rate your proposed project and The water is intended to let (a) ☐ Artificial Recharge (e) ☐ Industrial	as been assigned a priority nater under that priority note of diversion and maximad are in agreement with the appropriated for (Check (b)	w, the requested maximum rate umber can NOT be increased um quantity of water are apprise Division of Water Resources use intended):  (c) □ Recreational (g) □ Stockwatering (k) □ Hydraulic Dredging	e of diversion and maximum d. Please be certain your ropriate and reasonable for s' requirements.  (d)   Water Power  (h)   Sediment Control

\* Term Permit Application, File No. 20169074 is being

DWR 1-100 (Revised 02/16/2011) Converted to a regular appropriation under File #49,689A.

Same Fee amount.

DWS 1 DWR 10/11/16

5.	The	location of the propose	ed wells, pump s	ites or other wor	ks for diversion	n of water is:	
	Note	e: For the application 10 acre tract, unles within a specifically	ss you specifica	lly request a 60	day period of	time in which to	ped to at least a position locate the site
	(A)	One in the SE qua	rter of the SW	quarter of the <u></u>	<b>IE</b> quarter of	HYPOTHETICA	🗓 Section 30, more
		particularly described	as being near	a point <u><b>2,975</b></u> f	eet North and	<b>1,912</b> feet We	st of the Southeast
		corner of said section	, in Township 11	South, Range 1	6 EAST, SHA	WNEE	County, Kansas.
		*Kaw Half E	Breed Indian La	nd Survey #3			
	(B)	One in the qua	arter of the	_ quarter of the	quarter	of Section	_, more particularly
		described as being no	ear a point	_ feet North and	d feet W	est of the South	neast corner of said
		section, in Township	South, Ra	ange East	/West (circle o	ne),	County, Kansas.
	(C)	One in the qua	arter of the	_ quarter of the	quarter	of Section	_, more particularly
		described as being n	ear a point	_ feet North and	d feet W	est of the South	neast corner of said
		section, in Township	South, Ra	ange East	/West (circle o	ne),	County, Kansas.
6.	pum com	four wells in the same ps not to exceed a tol mon distribution syste owner of the point of o	al maximum div m.	ersion rate of 80	0 gallons per r	ninute and whic	<ul> <li>being operated by h supply water to a</li> </ul>
			(name	, address and tele	phone number)	-	
			(name	, address and tele	phone number)		
	land	must provide evidenc lowner's authorized re ument with this applica	epresentative.	Provide a copy	of a recorded	deed, lease,	easement or other
ern		I have legal access landowner or the lar the foregoing is true	ndowner's autho				
1.05	for arw The	Executed on		_, 20		cant's Signature	<del></del>
<u>. ί</u> γ Λ	aru	re					
7.			iversion of wate	r will consist of	ONE GROUN (numbe	DWATER WEL r of wells, pumps or	dams, etc.)
	and	(was)(will be) complet	ed (by) Spring 2	2017(Month/D	av/Year - each wa	s or will be complete	ed)
_							
8.	The	first actual application	of water for the	proposed benefi	cial use was or	is estimated to	be Spring 2017 (Mo/Day/Year)

9.	Will pesticide, fertilizer, or other foreign substance be injected into the water pumped from the diversion works?
	☐ Yes ☐ No If "yes", a check valve shall be required.
	All chemigation safety requirements must be met including a chemigation permit and reporting requirements.
10.	If you are planning to impound water, please contact the Division of Water Resources for assistance, prior to submitting the application. Please attach a reservoir area capacity table and inform us of the total acres of surface drainage area above the reservoir.
	Have you also made an application for a permit for construction of this dam and reservoir with the Division of Water Resources? ☐ Yes ☐ No
	If yes, show the Water Structures permit number here
	If no, explain here why a Water Structures permit is not required
11.	The application <u>must</u> be supplemented by a U.S.G.S. topographic map, aerial photograph or a detailed plat showing the following information. On the topographic map, aerial photograph, or plat, identify the center of the section, the section lines or the section corners and show the appropriate section, township and range numbers. Also, please show the following information:
	(a) The location of the proposed point(s) of diversion (wells, stream-bank installations, dams, or other diversion works) should be plotted as described in Paragraph No. 5 of the application, showing the North-South distance and the East-West distance from a section line or southeast corner of section.
	(b) If the application is for groundwater, please show the location of any existing water wells of any kind within ½ mile of the proposed well or wells. Identify each existing well as to its use and furnish the name and mailing address of the property owner or owners. If there are no wells within ½ mile, please advise us.
	(c) If the application is for surface water, the names and addresses of the landowner(s) ½ mile downstream and ½ mile upstream from your property lines must be shown.
	(d) The location of the proposed place of use should be shown by crosshatching on the topographic map, aerial photograph or plat.
	(e) Show the location of the pipelines, canals, reservoirs or other facilities for conveying water from the point of diversion to the place of use.
	A 7.5 minute U.S.G.S. topographic map may be obtained by providing the section, township and range numbers to: Kansas Geological Survey, 1930 Constant, Campus West, University of Kansas, Lawrence, Kansas 66047.
12.	List any application, appropriation of water, water right, or vested right file number that covers the same diversion points or any of the same place of use described in this application. Also list any other recent modifications made to existing permits or water rights in conjunction with the filing of this application.
	FILE NO. 44,985 PD AND PU Overlap. Owner exceeded authorized quantity and this application will
	provide additional water for sand washing.
	NOTE: TERM PERMIT APPLICATION FILE NO. 20169074 WAS FILED TO ADDRESS THIS ISSUE
	BUT IT IS BEING CONVERTED TO THIS NEW APPLICATION, FILE NO. 49,689 A.

well has not been con					
Information below is f	rom:   Test holes	□ We	ll as completed	☐ Drillers I	og attached
Well location as show No.	n in paragraph	(A)	(B)	(C)	(D)
Date Drilled		_	<u> </u>		
Total depth of well					
Depth to water bearin	g formation				
Depth to static water	level				
Depth to bottom of pu	ımp intake pipe				
(owner, tenant, agent or o	roperty where the wate	r is used	if other than the s	annlicant is (n	lease nrint).
			elephone number		
	(name, addr	ess and to	elephone number	)	
The undersigned stat	(name, addr (name, addr es that the information submitted in good faith	ess and to ess and to set forth	elephone number elephone number above is true to t	) he best of his/	
The undersigned stat that this application is	(name, addr (name, addr es that the information	ess and to ess and to set forth	elephone number elephone number above is true to t	) he best of his/	
The undersigned stat that this application is Dated at	(name, addr (name, addr es that the information submitted in good faith	ess and to ess and to set forth	elephone number elephone number above is true to t	) he best of his/	/her knowled
The undersigned stat	(name, addr (name, addr es that the information s submitted in good faith , Kansas	ess and to ess and to set forth	elephone number elephone number above is true to t day of	) he best of his/	her knowled
The undersigned state that this application is Dated at	(name, addr (name, addr es that the information submitted in good faith , Kansas	ess and to ess and to set forth	elephone number elephone number above is true to t day of	) he best of his/ (month)  S) SOCIAL SECULATION NUMBER(	her knowled
The undersigned state that this application is Dated at	(name, addr (name, addr es that the information submitted in good faith , Kansas	ess and to ess and to set forth	elephone number elephone number above is true to t day of APPLICANT(S IDENTIFICA	he best of his/ (month)	/her knowled , (ye:
The undersigned state that this application is Dated at	(name, address that the information submitted in good faith, Kansas	ess and to ess and to set forth	elephone number elephone number above is true to t day of APPLICANT(S IDENTIFICA	he best of his/ (month)  S) SOCIAL SECUI	/her knowled , (ye:

File No. \_\_\_\_\_

## INDUSTRIAL USE SUPPLEMENTAL SHEET

File No. 49, 689 A

Name of Applicant (Please Print): Kansas Sand & Concrete, Inc.

1. Please describe type of industry or product produced: Sand & Gravel  Standard Industrial Classification Code Number: 142  2. Please complete the following table to show your past and present water requirements:  PAST PRODUCT PRODUCTION AND WATER DIVERTED, IF APPLICABLE  LAST 5 YEARS  AMOUNT OF PRODUCT  Syears ago  Standard Industrial Classification Code Number: 142  Callonsper Production And Water Diverted Gallons: 142  Callonsper Production Code Number: 142  Callonsper Producti	<b>幸武海蘇縣</b> , 夏林 \$
PAST PRODUCT PRODUCTION AND WATER DIVERTED, IF APPLICABLE  LAST'S YEARS  AMOUNT OF PRODUCT  WATER DIVERTED (GALLONS) CALLONS PER PRODUCT  WATER DIVERTED (GALLONS)	JCT PER
LAST 5 YEARS AMOUNT OF PRODUCT WATER DIVERTED (GALLONS). CALLONSPER PRODUCT	JCT PER
LAST'S YEARS AMOUNT OF PRODUCT WATER DIVERTED (GALLONS): GALLONSPER PRODUCT DAY	JCT PER
5 years ago	
Last year 5.7252 mgy	
Present year	
3. Please complete the following table to show your future water requirements:  ESTIMATED FUTURE PRODUCT PRODUCTION AND WATER DIVERTED  NEXT 5  AMOUNT OF PRODUCT  WATER TO BE DIVERTED  GALLONS  GALLONS	CIPER
Year 1         50,000 yards         10 mgy         200 gals/yard	
Year 2	_
Year 3	
Year 4	
Year 5         70,000 yards         14 mgy         200 gals/yard	
<ul> <li>Number of days of operation of the industry per year is 365 days.</li> <li>Please attach any tables, curves or additional information showing past, present and estimated future water requirements to substantiate the amount of water requested.</li> <li>4. Please designate the legal description of the location where the water is to be used. Show in the space below the Section (S), Township (T), and Range (R), and the number of acres in each forty acre tract of fractional portion thereof.</li> </ul>	provided
S T R NE¼ NW¼ SW¼ SE¼	TOTAL
NE NW SW SE NW SW SW SW SE NW SW	
30 11S 16E SAND PLANT (NZ); HYPO SEC 30 KS HALF BREED INDIAN LANDS SURVET #304	

You may attach any additional information you believe will assist in informing the Division of the need for your request.

<u>(J-/3-/6</u> (Date)

Kansas Department of Agriculture Division of Water Resources David W. Barfield, Chief Engineer 1320 Research Park Drive Manhattan, Kansas 66502

Dear Sir:

Re: Application File No. 49.689 A Minimum Desirable Streamflow River Assurance District Water Reservation Rights I understand that a Minimum Desirable Streamflow requirement has been established, an Assurance District has been formed and established or a Water Reservation Right is held by the Kansas Water Office (circle the appropriate item) for the source of supply to which the above referenced

I understand that diversion of water pursuant to this application will be subject to regulation any time Minimum Desirable Streamflow requirements are not being met, Assurance District or Water Marketing releases are being made from storage in Federal Reservoirs or when a Reservation Right upstream of a Federal Reservoir is being administered.

application applies, namely the KANSAS RIVER ASSURANCE DISTRICT

I also understand that if this application is approved, there could be times, as determined by the Division of Water Resources, when I would not be allowed to divert water. I realize that this could affect the economics of my decision to appropriate water.

I am aware of the above factors, and with the knowledge thereof, request that the Division of Water Resources proceed with processing and approval, if possible, of the above referenced application.

State of Kansas

I hereby certify that the foregoing instrument was signed in my presence and sworn to before me day of Ocfober, 20/6. this

Scott G J. — Notary Public

My Commission Expires:

SCOTT C. TOMAN Notary Public - State of Kansas My Appt. Expires 2/5/2019

Distance and all	rection from nearest	town or city street	1/4 SW 1/4 It address of well if locate	ed within cit	<u>30                                    </u>		T <u>11</u> S	5   R 16E	: E/W
	€ 531								
	L OWNER: K								
	ss, Box # : 5						Board of Agricult	ure, Division of Wate	r Resour
			s 66608				Application Numb	ner 1/01/0	/
				201		CI EVAT	ION:	~ 4343	6
AN "X" IN SE	CTION BOX:	Deeth OF	COMPLETED WELL.	.00	π.	ELEVAI	IUN:		
-2	N	Depth(s) Groun	ndwater Encountered	271	)	π. 2.	ace measured on mo/da	π. 3	
		WELLS STATE	C WATER LEVEL	(. 21.	. below I	and surfa	ace measured on mo/da	iy/yr £0/,05/.	≯&
NW	NE	Pun	np test data: Well wate	er was		ft. aft	er hour	s pumping	gp
$b_{tot}(t) \neq 0$	<b>X</b>	Est. Yield	gpm: Well water	er was		. ft. aft	er hour	s pumping	gp
≝ w <u> </u>	Ales, Mistria Inchi						nd		
<b>Σ</b>							Air conditioning		
sw	SE			and the second second	files at the	3 7	Dewatering		
		2 Irrigation	4 Industrial	7 Lawn and	d garden	only 10	Monitoring well	المدود والمتحددة فالمتحدث فالمتحدث	
<b>对连接法定</b>		Was a chemical	/bacteriological sample :	submitted to	Departm	ent? Yes	NoX, If	yes, mo/day/yr samp	ole was su
	ade <b>ς</b> (1 km − μ − μ − μ − μ − μ − μ − μ − μ − μ −	mitted				Wate	r Well Disinfected? Yes	s X No	
TYPE OF BLA	NK CASING USED						CASING JOINTS: G		
			6 Asbestos-Cement					Velded	
	4 ABS		7 Fiberglass		file the same	The Court of the State of		hreaded	
lank casing diam	neter 6"	in. to 0-71	0 ft. Dia	in	to .		ft., Dia		
asing height abo	ve land surface	24"	in weight 3.6			lhs /ft	Wall thickness or gaug	e No -280	
1 Steel	3 Stainle	ee etaal	5 Eiberglass	<del></del>	MD (SD)		10 Asbestos-co	si6/)	
2 Brace	3 Stainle	izad etaal	6 Congrete tile	0.4	IIVIF (ON)		11 Other (spec	(open hele)	· · · · · · · · ·
CREEN OR REC	PEODATION ODEN	INCC ADE.	6 Concrete tile	9 A 	DO		12 None used 8 Saw cut	(open noie)	h-1-1
Cheen On Fer	TONATION OFEN	INGS ANE	o Gauze	o wrapped		-	8 Saw cut	i i wone (open	поіе)
Continuous	s Siot 3	Milli Siot	ь wire v	vrapped			9 Drilled noies	ארארואבה	
	snuπer 4						() ()ther (snecity). • 😘		
2 Louvered :		rey puriciled	/ Torch	cut	ázeň.		o Guici (apodily)	SECTIATE.	
2 Louvered : CREEN-PERFOR	RATED INTERVALS	From:	6 Wire v 7 Torch 7.0 ft. to	cut .80	f	t., From		it. to	
		From	ft. to			t., From		over 1 9 1998	
		From	ft. to ft. to	80		t., From t., From	N	<b>10.1 9</b> 1998	
GRAVEL	PACK INTERVALS	From	ft. to	80	j	t., From t., From t., From	N( TO	Vol 9 1998 t to	ft. ft.
GRAVEL	PACK INTERVALS	From. 2 From cement	ft. to	80.	f onite	t., From t., From t., From 4 Ot	TON	Vol 9 1998 The to 1998 REKA FIELD OFFICE NOFWATER RESOURCE	ft ft ft
GRAVEL GROUT MATER rout Intervals:	PACK INTERVALS RIAL: 1 Neat From 2	From 2 From 2 From cement ft. to 25	ft. to	80.	f f onite to	t., From t., From t., From 4 Ot	TOI her DIVISIO	Vol 9 1998 t to 1998 NOFWATER RESOURCE	ft.
GRAVEL GROUT MATER rout Intervals:	PACK INTERVALS  RIAL: 1 Neat  From. 2  It source of possible	From 2 From cement ft. to 25	ft. to  ft. to  ft. to  2 Cement grout  ft., From	3 Bent	f onite to	t., From t., From <u>t., From</u> 4 Ot	TOM her DIVISIO ft., From	Vol 9 1998 t to  PEKA FIELD OFFICE NOFWATER RESOURCE  ft. to	ft.
GRAVEL GROUT MATER rout Intervals:	PACK INTERVALS  RIAL: 1 Neat  From 2  It source of possible	From 2 From cement ft. to 25	ft. to  ft. to  ft. to  2 Cement grout  ft., From	3 Bent	f onite to	t., From t., From <u>t., From</u> 4 Ot	TOM her DIVISIO ft., From	Vol 9 1998 t to  PEKA FIELD OFFICE NOFWATER RESOURCE  ft. to	ft.
GRAVEL GROUT MATER rout Intervals: hat is the neares	PACK INTERVALS  RIAL: 1 Neat  From 2  It source of possible  4 Late	From. 2 From cement ft. to 25. e contamination: ral lines	ft. to	3 Bent	f f onite to 10	t., From t., From t., From 4 Ot Livestoc Fuel sto	TOM her DIVISIO ft. From k pens 14 rage 15	Vol 9 1998 t to 1998 NOFWATER RESOURCE	ft. ft.
GRAVEL GROUT MATER rout Intervals hat is the neares 1 Septic tank 2 Sewer lines	PACK INTERVALS  RIAL: 1 Neat  From 2  It source of possible  4 Late	From. From. Cement ft. to. 25. Contamination: real lines s pool	ft. to  ft. to  ft. to  2 Cement grout  ft., From  7 Pit privy	3 Bent	f onite to 10 11 12	t., From t., From t., From 4 Ot Livestoc Fuel sto Fertilizer	TOM her DIVISIO ft. From k pens 14 rage 15	To 1 9 1998  To 1 9 1998  TENA FIELD OFFICE NOFWATER RESOURCE  If to Abandoned water v Oil well/Gas well	ft ft ft ft.
GRAVEL GROUT MATER rout Intervals hat is the neares 1 Septic tank 2 Sewer lines	PACK INTERVALS  RIAL: 1 Neat From 2  It source of possible 4 Late 5 Cest sewer lines 6 See	From. 2 From cement ft. to 25 e contamination: ral lines s pool page pit	ft. to  ft. to  ft. to  2 Cement grout  ft., From  7 Pit privy  8 Sewage lagor	3 Bent	f onite to 10 11 12 13	t., From t., From t., From 4 Ot Livestoc Fuel sto Fertilizer Insecticie	her DINISIO  ft. From k pens 14 rage 15 storage 16 de storage feet? 105	To 1 9 1998  To 1 9 1998  TENA FIELD OFFICE NOFWATER RESOURCE  If to Abandoned water v Oil well/Gas well Other (specify below	ft. ft.
GRAVEL GROUT MATER rout Intervals: hat is the neares 1 Septic tank 2 Sewer lines 3 Watertight is	PACK INTERVALS  RIAL: 1 Neat From 2 It source of possible 4 Late 5 5 Cess sewer lines 6 Seep 7 FAS	From. From. From. Cement ft. to 25. Contamination: From 25. Contamination: Contaminatio	ft. to  ft. to  ft. to  2 Cement grout  ft., From  7 Pit privy  8 Sewage lagor  9 Feedyard	3 Bent	f onite to 10 11 12 13	t., From t., From t., From 4 Ot Livestoc Fuel sto Fertilizer Insecticie	her DINISIO  ft. From k pens 14 rage 15 storage 16 de storage feet? 105	To 1 9 1998  To 1 9 1998  TENA FIELD OFFICE NOFWATER RESOURCE  If to Abandoned water v Oil well/Gas well	ft. ft.
GRAVEL  GROUT MATER rout Intervals: hat is the neares 1 Septic tank 2 Sewer lines 3 Watertight is	PACK INTERVALS  RIAL: 1 Neat From 2 It source of possible 4 Late 5 5 Cess sewer lines 6 Seep 7 FAS	From. 2 From 2 From 25 cement 5t. to 25 contamination: ral lines 5 pool page pit	ft. to  ft. to  ft. to  2 Cement grout  ft., From  7 Pit privy  8 Sewage lagor  9 Feedyard	3 Bent ft.	f f onite to 10 11 12 13 Ho	t., From t., From t., From 4 Ot Livestoc Fuel sto Fertilizer Insecticie	her DINISIO ft. From k pens 14 rage 15 storage 16 de storage feet? 105	To 1 9 1998  To 1 9 1998  TENA FIELD OFFICE NOFWATER RESOURCE  If to Abandoned water v Oil well/Gas well Other (specify below	ft. ft.
GRAVEL  GROUT MATER rout Intervals: hat is the neares  1 Septic tank 2 Sewer lines 3 Watertight is rection from well?	PACK INTERVALS  RIAL: 1 Neat From 2  It source of possible 4 Late 5 5 Cess sewer lines 6 Seep 7 FAS	From. From. From. Cement ft. to 25. Contamination: From 25. Contamination: Contaminatio	ft. to  ft. to  ft. to  2 Cement grout  ft., From  7 Pit privy  8 Sewage lagor  9 Feedyard	3 Bent ft.	f f onite to	t., From t., From t., From 4 Ot Livestoc Fuel sto Fertilizer Insecticie	her DINISIO ft. From k pens 14 rage 15 storage 16 de storage feet? 105	To 1 9 1998  To 1 9 1998  TENA FIELD OFFICE NOFWATER RESOURCE  If to Abandoned water v Oil well/Gas well Other (specify below	ft. ft.
GRAVEL  GROUT MATER rout Intervals: hat is the neares  1 Septic tank 2 Sewer lines 3 Watertight section from well* FROM TO 0 3	PACK INTERVALS  RIAL: 1 Neat From 2  It source of possible 4 Late 5 5 Cess sewer lines 6 Seep 7 FAS	From. 2 From. 2 From cement ft to 25 contamination: ral lines s pool page pit T LITHOLOGIC L crete—sand rd, Clay—Br	ft. to  ft. to  ft. to  2 Cement grout  ft., From  7 Pit privy  8 Sewage lagor  9 Feedyard	3 Bent ft.	f f onite to	t., From t., From 4 Ot Livestoc Fuel sto Fertilizer Insectición	her DINISIO ft. From k pens 14 rage 15 storage 16 de storage feet? 105	To 1 9 1998  To 1 9 1998  TENA FIELD OFFICE NOFWATER RESOURCE  If to Abandoned water v Oil well/Gas well Other (specify below	ft. ft.
GRAVEL  GROUT MATER rout Intervals: hat is the neares 1 Septic tank 2 Sewer lines 3 Watertight section from well? FROM TO 0 3 3 21 21 29	PACK INTERVALS  RIAL: 1 Neat From 2  It source of possible 4 Late 5 5 Cess sewer lines 6 Seep 7 FAS  Fill—con Silty Sa Fine San	From. 2 From. 2 From cement ft. to 25 contamination: oral lines s pool page pit LITHOLOGIC L Crete-sand nd, Clay-Br d-Brown	ft. to  ft. to  ft. to  2 Cement grout  ft., From  7 Pit privy  8 Sewage lagor  9 Feedyard	3 Bent ft.	f f f f f f f f f f f f f f f f f f f	t., From t., From 4 Ot Livestoc Fuel sto Fertilizer Insecticie w many	TOP  TOP  TOP  TOP  TOP  TOP  TOP  TOP	To 1 9 1998  To 1 9 1998  TENA FIELD OFFICE NOFWATER RESOURCE  If to Abandoned water v Oil well/Gas well Other (specify below	ft. ft.
GRAVEL  GROUT MATER  rout Intervals:  hat is the neares  1 Septic tank  2 Sewer lines  3 Watertight section from well/  FROM TO  0 3  3 21  21 29  29 37	PACK INTERVALS  RIAL: 1 Neat From 2  It source of possible 4 Late 5 5 Cess sewer lines 6 Seep 7 Fill—con Silty Sa Fine San Fine San	From. 2 From 2 From 2 From 25 cement it to 25 contamination: ral lines s pool page pit II LITHOLOGIC I Crete—sand and, Clay—Brown d—Brown d—Coarse Sal	ft. to  ft. to  ft. to  Cement grout  ft., From  7 Pit privy  8 Sewage lagor  9 Feedyard  LOG  CWD	3 Bent ft.	f f f f f f f f f f f f f f f f f f f	t., From t., From 4 Ot Livestoc Fuel sto Fertilizer Insecticie w many	her DINISIO  ft., From k pens 14 rage 15 storage 16 de storage feet? 105 PLUGGING	TV-1 9 1998 t to 1998 texa field office NOFWATER RESOURCE ft to Abandoned water v Oil well/Gas well Other (specify below	ft. ft.
GRAVEL  GROUT MATER rout Intervals: hat is the neares 1 Septic tank 2 Sewer lines 3 Watertight's rection from well' FROM TO 0 3 3 21 21 29 29 37 37 46	PACK INTERVALS  RIAL: 1 Neat From 2  It source of possible 4 Late 5 5 Cess sewer lines 6 Seep 7 FAS  Fill—con Silty Sa Fine San Fine San Fine San	From. From. From. From. Cement It. to 25 Contamination: From. F	ft. to ft. to ft. to ft. to  2 Cement grout ft., From  7 Pit privy 8 Sewage lagor 9 Feedyard  LOG  CWN  nd-Med Gravel, nd-Brown	3 Bend ft	onite to 10 11 12 13 Hoo TO	t., From t., From 4 Ot Livestoc Fuel sto Fertilizer Insecticie w many	TOP  TOP  TOP  TOP  TOP  TOP  TOP  TOP	OV-1 9 1998 t. to.  PERA FIELD OFFICE NOFWATER RESOURCE ft. to Abandoned water v Oil well/Gas well Other (specify below S INTERVALS	ft. ft. ft.  tt. well
GRAVEL  GROUT MATER rout Intervals: hat is the neares 1 Septic tank 2 Sewer lines 3 Watertight is rection from well ROM TO 0 3 3 21 21 29 29 37 37 46 46 54	PACK INTERVALS  RIAL: 1 Neat From 2  At Late 5 Cess sewer lines 6 Seep Fill—con Silty Sa Fine San Fine San Fine San Fine San	From. From. From. From. Cement ft. to 25. Contamination: From 25. Contaminatio	ft. to  ft. to  ft. to  2 Cement grout  ft., From  7 Pit privy  8 Sewage lagor  9 Feedyard  LOG  OWN  nd-Med Gravel  nd-Med-Pea Gravel	3 Bend ft.	onite to 10 11 12 13 Hoo TO	t., From t., From 4 Ot Livestoc Fuel sto Fertilizer Insecticie w many	TOP  TOP  TOP  TOP  TOP  TOP  TOP  TOP	OV-1 9 1998 t. to.  PERA FIELD OFFICE NOFWATER RESOURCE ft. to Abandoned water v Oil well/Gas well Other (specify below S INTERVALS	ft. ft. ft.  tt. well
GRAVEL  GROUT MATER rout Intervals: hat is the neares 1 Septic tank 2 Sewer lines 3 Watertight section from well? ROM TO 0 3 3 21 21 29 29 37 37 46 46 54 54 71	PACK INTERVALS  BIAL: 1 Neat From 2  At Late 5 Cest Sewer lines 6 Seep 7 FAS  Fill—con Silty Sa Fine San Fine San Fine San Fine San Fine San Fine San	From. From. From. From. Cement ft. to 25. Contamination: ral lines Spool page pit FI  LITHOLOGIC L Crete—sand and, Clay—Brod d—Brown d—Coarse Said—Coarse Said—Coa	ft. to  ft. to  ft. to  2 Cement grout  ft., From  7 Pit privy  8 Sewage lagor  9 Feedyard  LOG  CWN  nd-Med Gravel,  nd-Med-Pea Grand-Med-Pea Grand-Med-Pea 1/4	3 Bend ft.  FROM  FROM  Green,  vel, Br  Brown	onite to 10 11 12 13 Hoo TO	t., From t., From 4 Ot Livestoc Fuel sto Fertilizer Insecticie w many	her DIVISIO  ft. From  k pens 14 rage 15 storage 16 de storage feet? 105  PLUGGING  WATER RES RECEIV	OV-1 9 1998 It to 1998	ft. ft. ft.  tt. well
GRAVEL  GROUT MATER out Intervals: hat is the neares 1 Septic tank 2 Sewer lines 3 Watertight section from well FROM TO 0 3 3 21 21 29 29 37 37 46 46 54	PACK INTERVALS  RIAL: 1 Neat From 2  It source of possible 4 Late 5 5 Cest 5 Sewer lines 6 Seep FILL—con Silty Sa Fine San	From. 2 From 2 From 2 From 2 From 2 From 2 Cement 5. 2 Contamination: Fral lines 5. 2 Contamination: France 5. 2 Contamination: Fral lines 5. 2 Contamination: France 5. 2 Con	ft. to  ft. to  ft. to  2 Cement grout  ft., From  7 Pit privy  8 Sewage lagor  9 Feedyard  LOG  OWN  nd-Med Gravel  nd-Med-Pea Gravel	3 Bend ft.  FROM  FROM  Green,  vel, Br  Brown	onite to 10 11 12 13 Hoo TO	t., From t., From 4 Ot Livestoc Fuel sto Fertilizer Insecticie w many	TOP  TOP  TOP  TOP  TOP  TOP  TOP  TOP	OV-1 9 1998 It to 1998 PERA FIELD OFFICE NOFWATER RESOURCE If to 1998 Abandoned water value oil well/Gas well Other (specify below GINTERVALS OURCES	ft.  ft.  ft.  ft.  well  y
GRAVEL  GROUT MATER rout Intervals: hat is the neares 1 Septic tank 2 Sewer lines 3 Watertight section from well? ROM TO 0 3 3 21 21 29 29 37 37 46 46 54 54 71	PACK INTERVALS  BIAL: 1 Neat From 2  At Late 5 Cest Sewer lines 6 Seep 7 FAS  Fill—con Silty Sa Fine San Fine San Fine San Fine San Fine San Fine San	From. 2 From 2 From 2 From 2 From 2 From 2 Cement 5. 2 Contamination: Fral lines 5. 2 Contamination: France 5. 2 Contamination: Fral lines 5. 2 Contamination: France 5. 2 Con	ft. to ft., From ft., Ft. to	FROM  FROM  Green,  vel, Br  Brown	onite to 10 11 12 13 Hoo TO	t., From t., From 4 Ot Livestoc Fuel sto Fertilizer Insecticie w many	her DIVISIO  ft. From  k pens 14 rage 15 storage 16 de storage feet? 105  PLUGGING  WATER RES RECEIV	OV-1 9 1998 It to 1998	ft.  ft.  ft.  ft.  well  y
GRAVEL  GROUT MATER rout Intervals: hat is the neares 1 Septic tank 2 Sewer lines 3 Watertight section from well? ROM TO 0 3 3 21 21 29 29 37 37 46 46 54 54 71	PACK INTERVALS  RIAL: 1 Neat From 2  It source of possible 4 Late 5 5 Cest 5 Sewer lines 6 Seep FILL—con Silty Sa Fine San	From. 2 From 2 From 2 From 2 From 2 From 2 Cement 5. 2 Contamination: Fral lines 5. 2 Contamination: France 5. 2 Contamination: Fral lines 5. 2 Contamination: France 5. 2 Con	ft. to ft. to ft. to ft. to ft. to ft. to  2 Cement grout ft., From  7 Pit privy 8 Sewage lagor 9 Feedyard  LOG  CWN  nd-Med Gravel, nd-Med-Pea Gra nd-Med-Pea 1/4  NATER RESE	son  3 Bennint ft.  FROM  Green, vel, Br Brown  238"	onite to 10 11 12 13 Hoo TO	t., From t., From 4 Ot Livestoc Fuel sto Fertilizer Insecticie w many	her DIVISIO  ft. From  k pens 14 rage 15 storage 16 de storage feet? PLUGGING  WATER RES RECEIVED	OV-1 9 1998 It to 1998 It to 1998 It to 1998 If to 1998	ft.  ft.  ft.  ft.  well  y
GRAVEL  GROUT MATER rout Intervals: hat is the neares 1 Septic tank 2 Sewer lines 3 Watertight section from well? ROM TO 0 3 3 21 21 29 29 37 37 46 46 54 54 71	PACK INTERVALS  RIAL: 1 Neat From 2  It source of possible 4 Late 5 5 Cest 5 Sewer lines 6 Seep FILL—con Silty Sa Fine San	From. 2 From 2 From 2 From 2 From 2 From 2 Cement 5. 2 Contamination: Fral lines 5. 2 Contamination: France 5. 2 Contamination: Fral lines 5. 2 Contamination: France 5. 2 Con	ft. to ft., From ft., Ft. to	son  3 Bennint ft.  FROM  Green, vel, Br Brown  238"	onite to 10 11 12 13 Hoo TO	t., From t., From 4 Ot Livestoc Fuel sto Fertilizer Insectició w many	her DINISIO ft. From k pens 14 rage 15 storage 16 de storage feet? 105 WATER RES RECEIV ECEIVED KS DEPT OF AC	OV-1 9 1998 t. to. PERA FIELD OFFICE NOFWATER RESOURCE ft. to Abandoned water v. Oil well/Gas well Other (specify below GINTERVALS  OURCES /ED  GRICULTURE	ft.  ft.  ft.  ft.  well  y
GRAVEL  GROUT MATER rout Intervals: hat is the neares 1 Septic tank 2 Sewer lines 3 Watertight section from well? ROM TO 0 3 3 21 21 29 29 37 37 46 46 54 54 71	PACK INTERVALS  RIAL: 1 Neat From: 2 It source of possible 4 Late 5 Cess Sewer lines 6 See FILT—con Silty Sa Fine San	From. From. From. From. Cement It. to	ft. to ft. to ft. to ft. to ft. to  2 Cement grout ft., From  7 Pit privy 8 Sewage lagor 9 Feedyard  LOG  CWN  nd-Med Gravel, nd-Brown nd-Med-Pea Gra nd-Med-Pea 1/4  AATER REST  DECRIV	3 Bend ft.  on FROM  FROM  Green,  vel, Br  Brown  2338"	onite to 10 11 12 13 Hoo TO	t., From t., From 4 Ot Livestoc Fuel sto Fertilizer Insectició w many	her DINISIO ft. From k pens 14 rage 15 storage 16 de storage feet? 105 WATER RES RECEIV ECEIVED KS DEPT OF AC	OV-1 9 1998 It to 1998 It to 1998 It to 1998 If to 1998	ft.  ft.  ft.  ft.  well  y
GRAVEL  GROUT MATER rout Intervals: hat is the neares 1 Septic tank 2 Sewer lines 3 Watertight section from well? ROM TO 0 3 3 21 21 29 29 37 37 46 46 54 54 71	PACK INTERVALS  RIAL: 1 Neat From: 2 It source of possible 4 Late 5 Cess Sewer lines 6 See FILT—con Silty Sa Fine San	From. From. From. From. Cement It. to	ft. to ft. to ft. to ft. to ft. to  2 Cement grout ft., From  7 Pit privy 8 Sewage lagor 9 Feedyard  LOG  CWN  nd-Med Gravel, nd-Brown nd-Med-Pea Gra nd-Med-Pea 1/4  AATER REST  DECRIV	son  3 Bennint ft.  FROM  Green, vel, Br Brown  238"	onite to 10 11 12 13 Hoo TO	t., From t., From 4 Ot Livestoc Fuel sto Fertilizer Insectició w many	her DIVISIO  ft. From  k pens 14 rage 15 storage 16 de storage feet? PLUGGING  WATER RES RECEIVED	OV-1-9-1998 It to 1-9-1998 It to 1-9-1998 It to 1-9-1998 If to 1-9-1998 If to 1-9-1998 If to 1-9-1998 If to 1-9-1998 INTERVALS	ft.  ft.  ft.  st.  well  v
GRAVEL  GROUT MATER rout Intervals: hat is the neares 1 Septic tank 2 Sewer lines 3 Watertight section from well? ROM TO 0 3 3 21 21 29 29 37 37 46 46 54 54 71	PACK INTERVALS  RIAL: 1 Neat From: 2 It source of possible 4 Late 5 Cess Sewer lines 6 See FILT—con Silty Sa Fine San	From. 2 From 2 From 2 From 2 From 2 From 2 Cement 5. 2 Contamination: Fral lines 5. 2 Contamination: France 5. 2 Contamination: Fral lines 5. 2 Contamination: France 5. 2 Con	ft. to ft. to ft. to ft. to ft. to  2 Cement grout ft., From  7 Pit privy 8 Sewage lagor 9 Feedyard  LOG  CWN  nd-Med Gravel, nd-Brown nd-Med-Pea Gra nd-Med-Pea 1/4  AATER REST  DECRIV	3 Bend ft.  on FROM  FROM  Green,  vel, Br  Brown  2338"	onite to 10 11 12 13 Hoo TO	t., From t., From t., From 4 Ot Livestoc Fuel sto Fertilizer Insectici w many	her DIVISIO  ft. From  k pens 14 rage 15 storage 16 de storage feet? PLUGGING  WATER RES RECEIV  NOV 1  ECEIVED  KS DEPT OF AC	OV-1-9-1998 It to 1-9-1998 It to 1-9-1998 It to 1-9-1998 If to 1-9-1998 If to 1-9-1998 If to 1-9-1998 If to 1-9-1998 INTERVALS	ft f
GRAVEL  GROUT MATER rout Intervals: hat is the neares 1 Septic tank 2 Sewer lines 3 Watertight is rection from well? ROM TO 0 3 3 21 21 29 29 37 37 46 46 54 54 71 71 80	PACK INTERVALS  RIAL: 1 Neat From 2  4 Late 5 Cest sewer lines 6 Seep 7 FAS  Fill—con Silty Sa Fine San	From. 2 From 3 F	ft. to ft. to ft. to ft. to ft. to ft. to ft. from ft.,	3 Bend ft.  3 Bend ft.  FROM  FROM  Green,  vel, Br  Brown  236"  DURCES  C	f f f onite to 10 11 12 13 Hor TO	t., From t., From t., From 4 Ot Livestoc Fuel sto Fertilizer Insectici w many	TOP Her DINISION of the Property of the Proper	OV-1 9 1998 It to 1998	ft. ft. ft. st. well
GRAVEL  GROUT MATER out Intervals: hat is the neares 1 Septic tank 2 Sewer lines 3 Watertight section from well' ROM TO 0 3 3 21 21 29 29 37 37 46 46 54 54 71 71 80	PACK INTERVALS  RIAL: 1 Neat From 2  4 Late 5 Cest sewer lines 6 Seep 7 FAS  Fill—con Silty Sa Fine San	From. 2 From 3 F	ft. to ft. to ft. to ft. to ft. to ft. to ft. from ft.,	3 Bend ft.  3 Bend ft.  FROM  FROM  Green,  vel, Br  Brown  236"  DURCES  C	f f f f f f f f f f f f f f f f f f f	t., From t., From t., From 4 Ot Livestoc Fuel sto Fertilizer Insectici w many	TOP Her DINISION of the Property of the Proper	OV-1 9 1998 It to 1998	ft f
GRAVEL  GROUT MATER out Intervals: nat is the neares 1 Septic tank 2 Sewer lines 3 Watertight section from well' ROM TO 0 3 3 21 21 29 29 37 37 46 46 54 54 71 71 80	PACK INTERVALS  RIAL: 1 Neat From 2  A Late 5 Cess sewer lines 6 Seep 7 FAS  Fill—con Silty Sa Fine San	From. 2 From 3 F	ft. to ft. to ft. to ft. to ft. to ft. to ft. from ft.,	3 Bend ft.  The second ft.  FROM  FROM  Green,  vel, Br  Brown  236"  CRCES  2002	onite to 10 11 12 13 Hoo TO Share  Cited, (2)	Livestoc Fuel sto Fertilizer Insecticit w many  AU  DIVISION reconstr	her DIVISIO  ft. From  k pens 14 rage 15 storage 16 de storage feet? PLUGGING  WATER RES RECEIV  NOV 1  ECEIVED  KS DEPT OF AC	OV-1 9 1998 t to 1998 t to 1998 t to 1998 t to 1998 ft to 1998 ft to 1998 GRICULTURE	find find find find find find find find

INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle line contact an annual point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle line contact an annual point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle line contact an annual point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle line contact an annual point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle line contact an annual point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle line contact an annual point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle line contact an annual point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle line contact an annual pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle line contact an annual pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle line contact an annual pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle line contact an annual pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle line contact an annual pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle line contact and pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle line contact and pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle line contact and pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle line contact and pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle line contact and pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline contact and pen. PLEASE PRESS FIRMLY and pen

				WATER RESOURCES
	Su	bmit To:CHIEF ENGINE Division of Water Resources APPLICATION COMPLETE CR	FOR	TERM PERMIT
Convert	<b>.</b>			WATER AUG 2 2 2016
49.68	39 A	Manhattan, Kansas 66502 Reviewer <u>pいら</u> (ch http://agriculture.ks.gov/dwi	eck or	KS DEPT OF AGRICULTURE tate of Kansas
- 101 -				PANY THIS APPLICATION
DWS/DWR		STATUTORY FILING FEE MUST AC (Make check payable to the Kans	as De	partment of Agriculture)
10/11/16	1.	Applicant: (Please print or type)		Water is to be used for (briefly describe proposed use
		Name KANSAS SAND & CONCRETE, INC.		and explain the rate and quantity requested): IND USE – Sand Washing
		Street <u>P.O. BOX 656</u>		50,000 yards x 200 gals/yd = 10 Million Gallons
		City and State TOPEKA KS	5.	Location of place of use:
		Zip Code <u>66601</u> Telephone No. <u>( 785) 235-6284</u>		SAND PLANT N½ HYPO Sec. 30, T11S, R16E
		E-Mail Address tim.lohse@kansassand.com		
		Social Security I.D. No.		Period of use:
		and/or Taxpayer I.D. No.		Commencing date: AUGUST 19, 2016  Ending Date: <u>AUGUST 18, 2021</u> Also enter on Item 12
	2.	Location of Point of Diversion:		
		Sec. <u>30</u> , Twp. <u>11S</u> , Rng. <u>16E,</u> SHAWNEE County, Kansas.		f-stream pit, check here □. pit floor intersect water table? Yes □ No □
		SHAWNEE County, Kansas.  *KAW HALF-BREED INDIAN LAND SURVEY #3 & #4		ocation of the proposed point of diversion and those of other water
		Distance from Southeast Corner of Section:	1	users within ½ mile shall be indicated on the diagram to the lower-left, scale 1 inch = 2,000 feet. If surface water, indicate on the diagram the
		2975 feet North from Southeast Corner		course of the stream, and its name. List other D.W.R. permit numbers hat cover the requested point(s) of diversion or place of use here:
		1912 feet West from Southeast Corner		Pd/pu overlap with WATER RIGHT, File No. 44,985
		NOTE: If point of diversion is not site specific (i.e. groundwater pit) show the approximate geographic center.	į	Pdiv ID: 67077 PUseID: 2164
	3.	Water Use Data:		FEE SCHEDULE
		Proposed Max. Pumping Rate (gpm) 100	1.	The filing fee for an application is based on the maximum amount of
		Amount Requested (acre-feet) _30.7 AF (10 million gals)		water use proposed within a year. Except for storage, the fee is:  Acre-feet Fee
		per calendar year Depth of Well (feet)		0-100 \$200.00 101-320 \$300.00
		Date (completed) (will be completed) 2002	niu	More than 320 \$300.00 s \$20 for each additional 100 acre-feet or any part thereof.
		Drainage Basin <u>Kansas River</u>	-	The fee for an application in which storage is requested, is:
		Name of Stream		Acre-feet Fee
		Name of offeati		0-250 \$200.00 More than 250 \$200.00
		NW NE	,	s \$20.00 for each additional 250 acre-feet of storage or any part thereof.
		NW NE	NOT	If an application requests both direct use and storage, the fee charged shall be as determined under No. 1 or No. 2 above, whichever is greater, but not both fees.
		NW NE	3.	The fee for an application for a permit to appropriate water for water power or dewatering purposes shall be \$100.00 plus \$200.00 for each
		SW SE		100 cubic feet per second, or part thereof, of the diversion rate requested.
			4.	A request for an extension of time to extend the term of a term permit shall be accompanied by a fee of \$100.00.
		N N	5.	There is a separate application form for domestic use. Do not use this form for domestic use.
		SW SE		CONVERSION FACTORS
				1 acre-foot equals 325,851 gallons 1 million gallons equal 3.07 acre-feet
				. 0
			_	ARI TEATTON
		Sisted by DWS/TFO  **CONVERT TERM  **Appro	A	AG COGA SCANNEL
	As	sisted by <u>DWS/TFO</u> To Apero	pria	tion, 47,687H

Date 6/12/16 By AW Date Sheck# Cred Source 67's County 5N [70] 57-59Receipt Date 6/22/16 cc 11649546 8/24/2016 UM

DWS 10WR 10/11/16

For Office Use Only: F.O. GMD O Code TIZP

Code

#20169074 49,689 A

Other wells –  Well A Owner(s): Address:  Well B Owner(s): Address:  For surface water use, list below the names and addresses of all landowners from a point ½ mile upsteam of a point in a point i	.D
Well B Owner(s):  Address:  Address:  Second of the tract of land upon which the point of diversion is located. If additional space is needed, attach she address:  Tract B Owner(s):  Tract B Owner(s):  Address:  Address:  Address:  Address:  Address:  Address:  Address:	2016
9. For surface water use, list below the names and addresses of all landowners from a point ½ mile use Team of a point downstream of the tract of land upon which the point of diversion is located. If additional space is needed, attach she Tract A Owner(s):  Address:  Tract B Owner(s):	
	CULTURE It 72 mile eet.
10. The owner of the point of diversion, if other than the applicant is (please print):  Applicant	<u> (264</u>
You must provide evidence of legal access to, or control of, the point of diversion from the landowner or the land authorized representative. Provide a copy of a recorded deed, lease, easement or other document with this application lieu thereof, you may sign the following sworn statement:  I have legal access to, or control of, the point of diversion described in this application from the landowner landowner's authorized representative. I declare under penalty of perjury that the foregoing is true and corresponded to the point of the point of diversion described in this application from the landowner landowner's authorized representative. I declare under penalty of perjury that the foregoing is true and corresponded to the point of diversion described in this application from the landowner landowner's authorized representative. I declare under penalty of perjury that the foregoing is true and corresponded to the point of diversion described in this application from the landowner landowner's authorized representative. I declare under penalty of perjury that the foregoing is true and corresponded to the provided to the point of diversion described in this application from the landowner landowner's authorized representative.	ation. In
The applicant must provide the required information or signature irrespective of whether they are the landowner. For complete this portion of the application will cause it to be unacceptable for filing and the application will be returned applicant.	ailure to ed to the
11. The applicant states that the information set hereon is true and accurate to the best of his/her knowledge.	
<ul> <li>12. The applicant agrees to waive any right to a hearing on the matter of abandonment of this appropriation right and agrees that this appropriation right may be dismissed and terminated upon completion of the proposed projed dismissal date to be on AUGUST 18, 2021 or within any extension of time authorized by the Chief Endison of Water Resources, Kansas Department of Agriculture.</li> <li>13. The applicant agrees to provide water to nearby water users, at no charge to said users, should their rights to us become impaired by the project proposed by this application.</li> </ul>	ct, said ngineer,
14. Water use contact person (in event emergency contact is needed): Name: Contact person (in event emergency contact is needed): Telephone No. (765) 235 6284	
Signature of Applicant or Authorized Representative Date  Our Wordward	
Applicant's Name Printed Title	
CONDITIONS OF APPROVAL:  The applicant shall maintain accurate and complete records from which the quantity of water diverted during each calendar y be readily determined. Accurate and complete records shall be furnished to the Chief Engineer by March 1 following the end calendar year. Failure to file the annual water use report by the due date, shall cause the applicant to be subject to a civil pe The use of water herein authorized shall not be made so as to impair any use under existing water rights nor prejudicing	l of each nalty
unreasonably affect the public interest.  The Chief Engineer specifically retains jurisdiction in this matter with authority to make such reasonable reductions in the a rate of diversion and quantity authorized, and such changes in other terms, conditions, and limitation set forth in this appropermit to proceed as may be deemed to be in the public interest.	pproved
See Exhibit "A" for Additional Conditions of Term Permit File No. 20169074  APPLICATION APPROVED PERMIT NUMBER: 20169074  DATE ISSUED: EXPIRATION DATE: 8/18/2021 WATER METER REQUIRED: XESMUNO	

OCATION OF	No. of the control of		FR WELL RECORD	Form WWC	<u>-5 </u>	82a-1212		<del></del>	
Inda / .	WATER WELL:	Fraction		S	ection Numl		ship Number 11 s	Range Nur R 16E	
		<del></del>	address of well if loca			<u> </u>	5	1 u 443	E/W
	Van	sas Sand			<del></del>				
WATER WELL ⊭, St. Address	~^*	N. Tyler				Roa	rd of Agriculture	Division of Water	Resourc
State, ZIP C		eka, Kansas		· _		App	lication Number:	939123	.0000.0
OCATE WELL	'S LOCATION WITH	H 4 DEPTH OF	COMPLETED WELL.	79!	ft. ELE				
W "X" IN SEC	N BOX:		dwater Encountered						
		1	WATER LEVEL . 24	154			· •		
NW	X	i	np test data: Well wa 0 gpm: Well wa				•		•
			eter <b>15</b> in. to						
w	E	· [	TO BE USED AS:	5 Public wa				Injection well	
SW	1	1 Domestic	3 Feedlot	6 Oil field w	ater supply	9 Dewaterii	ng 12	Other (Specify bel	ow)
5W	3:	2 Irrigation	4 Industrial	7 Lawn and	garden only	, 10 Monitorin	g well		
		Was a chemical/	bacteriological sample	submitted to					was su
	<u> </u>	mitted					nfected? Yes X		
	NK CASING USED:	SD)	5 Wrought iron 6 Asbestos-Cement	***	rete tile r (specify be			iX Clamped ed	_
1 Steel 2 PVC	3 RMP (S 4 ≭ABS	on)	7 Fiberglass	41,	· · ·			aded	
	eter 6"	in. to . 0-69.	ft., Dia						
			in., weight 3.6						
	N OR PERFORATIO			7 P			0 Asbestos-ceme		
1 Steel	3 Stainles	s steel	5 Fiberglass		MP (SR)				
2 Brass	4 Galvania		6 Concrete tile	9 A	BS		2 None used (op		
	FORATION OPENIN	•		ed wrapped		8 Saw cut		11 None (open h	ole)
1 Continuous	777	Mill slot	6 Wire 7 Torcl	wrapped		9 Drilled h			
2 Louvered s	ATED INTERVALS:	(ey punched	7 10101 ft. to .	many man of the	# =				
:EN-PENFON	ATED INTERVALS.		ft. to .						
GRAVEI	PACK INTERVALS:				! [., [-			<b>,</b>	
G. D. IV L.		· ⊢rom 4-7	e ft to	79		rom	ft. to	)	ft
	AOR HATERALO.	: From4∺ From		3 *	ft., F	rom	ft. to		<b>.ft</b> .
OUT MATER		From	ftto		ft., F ft., F	rom	ft. to	)	ft. ft.
	IAL: 1 Neat of	From cement	ftto	3 Bent	ft., F	rom	ft. to		ft. ft.
Intervals: f	IAL: 1 Neat of From	From cement .ft. to24	ft. to 2 Cement grout ft., From	3 <u>Bent</u> ft.	ft., F  ft., F  onite  to 10 Live	rom rom 4 Other ft., Froestock pens	ft. to	ft. to	ft.
Intervals: f is the nearest 1 Septic tank	IAL: 1 Neat of From	From cement .ft. to	ft. to  2 Cement grout  ft., From  7 Pit privy	3 <u>. Bent</u> ft.	ft., F ft., F onite to 10 Live	rom	ft. to	tt. to	ft. 
Intervals: First the nearest 1 Septic tank 2 Sewer lines	IAL: 1 Neat of From	From cement .ft. to	ft. to  2 Cement grout  ft., From  7 Pit privy  8 Sewage lag	3 <u>. Bent</u> ft.	ft., F ft., F onite to	rom 4 Other ft., Froestock pens el storage tilizer storage	ft. to	ft. to	ft ft ft
Intervals: First the nearest Septic tank Sewer lines Watertight s	IAL: 1 Neat of From	From cement .ft. to	ft. to  2 Cement grout  ft., From  7 Pit privy	3 Bent ft.	ft., F ft., F onite to	rom 4 Other ft., Froestock pensel storage tilizer storage ecticide storage	ft. to	tt. to	ft. 
Intervals: First the nearest Septic tank Septic tank Septic tank Watertight son from well?	IAL: 1 Neat of From	From cement .ft. to	ft. to  2 Cement grout  ft., From  7 Pit privy  8 Sewage lag  9 Feedyard	3 <u>. Bent</u> ft.	ft., F ft., F onite to	rom 4 Other ft., Froestock pens el storage tilizer storage	ft. to	ft. to	ft. 
Intervals: First the nearest Septic tank Septic tank Sewer lines Watertight son from well? M TO 10	IAL: 1 Neat of Fill Dil	rt, rocks,	ft. to  2 Cement grout  ft., From  7 Pit privy  8 Sewage lag  9 Feedyard	3. Bent ft.	to	rom	ft. to	ft. to	ft. 
Intervals: First the nearest Septic tank Septic tank Septic tank Septic tank Septic tank Septic tank To	IAL: 1 Neat of Fill, Direction of Fill, Direction of Sark	From cement .ft. to	ft. to  2 Cement grout  ft., From  7 Pit privy 8 Sewage lag 9 Feedyard  OG  cement	3. Bent ft.	to	rom 4 Other ft., Froestock pensel storage tilizer storage ecticide storage	ft. to	ft. to	ft ft ft
Intervals: First the nearest Septic tank S	IAL: 1 Neat of From	From cement .ft. to	ft. to  2 Cement grout  ft., From  7 Pit privy  8 Sewage lag  9 Feedyard	3. Bent ft.	to	rom	ft. to	ft. to	ft. 
Intervals: First the nearest Septic tank Septic tank Septic tank Septic tank Septic tank To	IAL: 1 Neat of From	From cement .ft. to	ft. to  2 Cement grout  ft., From  7 Pit privy 8 Sewage lag 9 Feedyard  OG  cement	3. Bent ft.	to	rom 4 Otherft., Froestock pensel storage tillizer storage ecticide storage any feet?	ft. to	ft. to	ft. 
Intervals: First tank is the nearest is Septic tank. Septic tank is Septic tank i	IAL: 1 Neat of From	From cement .ft. to	ft. to  2 Cement grout ft., From 7 Pit privy 8 Sewage lag 9 Feedyard  OG Cement	3. Bent ft.	to	rom 4 Other 4 Other 5t., Froestock pensel storage ecticide storage ecticide storage early feet?  AUG 0 1	ft. to	ft. to	ft ft ft. ell
Intervals: If is the nearest 1 Septic tank. 2 Sewer lines 3 Watertight s ion from well? M TO 10 23 3 29 31 1 37	IAL: 1 Neat of From	From cement .ft. to	ft. to  2 Cement grout ft., From 7 Pit privy 8 Sewage lag 9 Feedyard  OG Cement	3. Bent ft.	to	AUG 01	ft. to	ft. to	ft. 
Intervals: If is the nearest 1 Septic tank. 2 Sewer lines 3 Watertight s ion from well? M TO 10 23 3 29 31 1 37	IAL: 1 Neat of From	From cement .ft. to	ft. to  2 Cement grout ft., From 7 Pit privy 8 Sewage lag 9 Feedyard  OG cement  Rd-Med-Grave  ad-Brown	3. Bent ft.	to	rom 4 Other 4 Other 5t., Froestock pensel storage ecticide storage ecticide storage early feet?  AUG 0 1	ft. to	ft. to	ft. ft. ft.
Intervals: First tank is the nearest is Septic tank. Septic tank is Septic tank i	IAL: 1 Neat of From	From cement .ft. to . 24 contamination: ral lines s pool rage pit  LITHOLOGIC I rt, rocks, d-Brown d-Coarse Sage l-Brown d-Coarse Sage l-Brown	ft. to  2 Cement grout ft., From 7 Pit privy 8 Sewage lag 9 Feedyard  OG Cement	3. Bent ft.	to	AUG 0 1	ft. to	tt. to	ft.
Intervals: First tank is the nearest is Septic tank. Septic tank is Septic tank i	IAL: 1 Neat of From	From cement .ft. to . 24 contamination: ral lines s pool rage pit  LITHOLOGIC I rt, rocks, d-Brown d-Coarse Sage l-Brown d-Coarse Sage l-Brown	ft. to  2 Cement grout ft., From 7 Pit privy 8 Sewage lag 9 Feedyard  OG cement  rd-Med-Grave  AESOURCES	3. Bent ft.	to	AUG 0 1	ft. to	tt. to	ft ft ft
Intervals: First tank is the nearest is Septic tank. Septic tank is Septic tank i	IAL: 1 Neat of From	From cement .ft. to . 24 contamination: ral lines s pool rage pit  LITHOLOGIC I rt, rocks, d-Brown d-Coarse Sage l-Brown d-Coarse Sage l-Brown	ft. to  2 Cement grout ft., From  7 Pit privy 8 Sewage lag 9 Feedyard  OG  Cement  Ind-Med-Grave  AESOURCES  EGEIVED	3. Bent ft.	to	AUG 01  TOPEKA FITSION OF WATER	ft. to	tt. to	ft
Intervals: If is the nearest 1 Septic tank. 2 Sewer lines 3 Watertight s ion from well? M TO 0 10 23 3 29 3 1 37 42	IAL: 1 Neat of From	From cement .ft. to .24 .contamination: ral lines spool sage pit  LITHOLOGIC I rt, rocks, d-Brown d-Coarse Sage	ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage lag 9 Feedyard  OG cement  nd-Med-Grave AESOURCES FOR VEC	3. Bent ft.	to	AUG 01  TOPEKA FITSION OF WATER	ft. to	tt. to	ft.
Intervals: If is the nearest 1 Septic tank. 2 Sewer lines 3 Watertight s ion from well? M TO 0 10 23 3 29 3 1 37 42	IAL: 1 Neat of From	From cement .ft. to .24 .contamination: ral lines spool sage pit  LITHOLOGIC I rt, rocks, d-Brown d-Coarse Sage	ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage lag 9 Feedyard  OG cement  nd-Med-Grave AESOURCES FOR VEC	3. Bent ft.  PROM  PROM  RI	10 Live 12 Fer 13 Inst How m TO	AUG 01 TOPEKA FINISH NOT WATER	ft. to	tt. to	ft.
Intervals: If is the nearest 1 Septic tank. 2 Sewer lines 3 Watertight s ion from well? M TO 0 10 23 3 29 3 1 37 42	IAL: 1 Neat of From	From cement .ft. to .24 .contamination: ral lines spool sage pit  LITHOLOGIC I rt, rocks, d-Brown d-Coarse Sage	ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage lag 9 Feedyard  OG cement  nd-Med-Grave AESOURCES FOR VEC	3. Bent ft.	to	AUG 0 1  TOPEKA FI  TOPEKA FI  SOUNCE	ft. to	tt. to	ft.
Intervals: If is the nearest 1 Septic tank. 2 Sewer lines 3 Watertight s ion from well? M TO 10 23 3 29 3 1 37 42	IAL: 1 Neat of From	From cement .ft. to .24 .contamination: ral lines spool sage pit  LITHOLOGIC I rt, rocks, d-Brown d-Coarse Sage 1-Brown 1-Coarse Sage 1-Brown FEE	ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage lag 9 Feedyard  OG Cement  Ind-Med-Grave  AESOURCES  EGEIVED  3 1 4 2002	3. Bent ft. ft. ft.	to	AUG 0 1  TOPEKA FILL  TOPEKA FI	PLUGGING IN  PLUGGING IN  VED  2002	tt. to pandoned water well well/Gas well ther (specify below ITERVALS	ft.
Intervals: If is the nearest 1 Septic tank. 2 Sewer lines 3 Watertight s ion from well? M TO 10 23 3 29 3 1 37 42	IAL: 1 Neat of From	From cement ft. to 24 contamination: ral lines pool page pit  LITHOLOGIC I rt, rocks, d-Brown d-Coarse Sage d-Brown	ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage lag 9 Feedyard  OG cement  nd-Med-Grave AESOURCES FOR VEC	3. Bent ft. ft. ft.	to	AUG 0 1  TOPEKA FINATER    TOP	PLUGGING IN  PLUGGING IN  PED  2002  (3) plugged under	tt. to	ft.
Intervals: If is the nearest 1 Septic tank. 2 Sewer lines 3 Watertight s ion from well? M TO 0 10 23 3 29 3 11 37 42   NTRACTOR'S ted on (mo/da	IAL: 1 Neat of From	From cement ft. to 24 contamination: ral lines pool page pit  LITHOLOGIC I rt, rocks, d-Brown d-Coarse Sage d-Brown	ft. to  2 Cement grout ft., From  7 Pit privy 8 Sewage lag 9 Feedyard  OG  Cement  Ind-Med-Grave  AESOURCES ECEIVED  3 1 4 2002	3. Bent ft.  FROM FROM DIVISION as (1) constru	to	AUG 0 1  TOPEKAF TOPEK	## It to the state of the state of my known in	ift. to	nd was
is the nearest 1 Septic tank 2 Sewer lines 3 Watertight s ion from well? M TO 0 10 0 23 3 29 9 31 1 37 7 42   NTRACTOR'S ted on (mo/da	IAL: 1 Neat of From	From cement ft. to 24 contamination: ral lines pool page pit  LITHOLOGIC I rt, rocks, d-Brown d-Coarse Sage 1-Brown d-Coarse Sage 1-Brown 1-Coarse Sage 1-	ft. to  2 Cement grout ft., From  7 Pit privy 8 Sewage lag 9 Feedyard  OG  Cement  Ind-Med-Grave  AESOURCES ECEIVED  3 1 4 2002	3. Bent ft.  FROM FROM DIVISION as (1) constru	to	AUG 0 1  TOPEKA FINANCE  TOPEK	PLUGGING IN  PLUGGING IN  PED  2002  (3) plugged under	ift. to	ft.

MICROFILMED -

# Safe Yield Report Sheet Water Right- A4498500 Point of Diversion in NESWSE 30-118-16E 11 (67077)

# 49,689 A Exempt from Safe Yill Because it's NON-CONSUMPTIVE Per 5-3-10.

DWS/DWR 10/11/16

#### Analysis Results

\_\_\_\_\_

The selected PD is in an area—to new appropriations. The safe yield, based on the variables listed below is 4,227.08 AF. Total prior appropriation in the circle is 36,605.41 AF. -29,627=6,978.41 Total quantity of water available for appropriation is 0.00 AF.

#### Safe Yield Variables

\_\_\_\_\_

The area used for the analysis is set at 8,042 acres. Potential annual recharge of the area is estimated to be 8.41 inches. The percent of recharge available for appropriation is 75%.

Authorized Quantity values are as of 11-OCT-2016 and are based on Appropriated and Vested ground water right and possible stream nodes for GMD #2. Domestic, Term and Temporary water rights have been excluded.

There are 22 water right(s) and 37 point(s) of diversion within the circle.

File	Number		Use	ST	SR	Q4	Q3	Q2	Q1	FeetN	FeetW	Sec	qwT	Rng	ID	Qind	Auth_Quant	Add_Quant	Tacres	Nacres
A	1292	00	IND	NK	G					1294	2045	13	11	15E	5	WR	930.00	930.00		
А	5483	00	IND	NK	G					1294	2045	13	11	15E	5	WR	5,520.60	756.60		
Same			IND	NK	G					1993	129	13	11	15E	10	WR				
Same			IND	NK	G					1294	1398	13	11	15E	6	WR				
Same			IND	NK	G					2355	285	13	11	15E	9	WR				
Same			IND	NK	G					1294	751	13	11	15E	4	WR				
Α	31638	00	IRR	NK	G					2650	3500	24	11	15E	9	WR	28.00	28.00	43.00	43.00
A	35712	00	MUN	NK	G					1580	4800	24	11	15E	3	WR	6.78	6.78		
A	35765	00	MUN	NK	G					4250	3800	25	11	15E	2	WR	1.14	1.14		
Α	36211	00	CON	NK	G		NE	NE	SW	2585	3185	29	11	16E	15	WR	13.69	13.69		
Same			CON	NK	G		NE	ΝE	SW	2555	3240	29	11	16E	13	WR				
Same			CON	NK	G		NE	NE	SW	2525	3295	29	11	16E	16	WR				
Α	38591	00	IRR	NK	G		NE	NW	SE	2050	1450	24	11	15E	10	WR	14.00	14.00	16.50	16.50
А	38723	00	IND	NK	G		NE	NE	SW	2635	3260	29	11	16E	11	WR	14.80	14.80		
А	39269	00	IRR	NK	G		SE	NE	SE	1900	220	24	11	15E	12	WR	14.00	14.00	21.50	21.50
A	40820	00	REC	NK	G		SW	SE	SW	450	3550	18	11	16E	1	WR	5.80	5.80		
A	43436	00	IND	NK	G		SE	SW	NE	3008	1806	30	11	16E	9	WR	5.22	5.22		
А	43625	00	IND	NK	G		SW	SE	SE	480	740	30	11	16E	10	WR	8.60	8.60		

А	43934 00	) IND	NK G		4836	5166	25	11 15E 5	WR	10.17	10.17		
А	44985 00	IND	NK G	SE SW NE	2975	1912	30	11 16E 11	WR				
A	47908 00	) DEW	KE G	NW SE SE	805	1076	20	11 16E 3	8 WR	29,627.00	14.84 29,627.00	- Deu	Jaterin o
Same		DEW	KE G	SW NW SW	1688	4708	29	11 16E 17	WR	•			
Same		DEW	KE G		624	4167	29	11 16E 18	WR				
Same		DEW	KE G		743	5232	29	11 16E 19	WR				
Same		DEW	KE G		941	347	30	11 16E 15	5 WR				
Same		DEW	KE G		3167	1098	25	11 15E 6	5 WR				
Same		DEW	KE G		4291	4082	25	11 15E 7	WR				
Same		DEW	KE G		4006	4703	25	11 15E 8	WR				
Same		DEW	KE G		722	510	30	11 16E 16	5 WR				
Same		DEW	KE G		700	420	30	11 16E 17	WR				
Same		DEW	KE G		667	350	30	11 16E 18	WR				
А	48380 00	CON	LO G	NE NE SW	2585	3185	29	11 16E 15	5 WR	25.01	25.01		
Same		CON	LO G	NE NE SW	2555	3240	29	11 16E 13	3 WR				
Same		CON	LO G	NE NE SW	2525	3295	29	11 16E 16	5 WR				
А	48381 00				2635	3260	29	11 16E 11	L WR	32.26	32.26		
V SN	7 00	IRR			5240	3900	24	11 15E 6	5 WR	41.00	41.00	66.00	66.00
Same		IRR	AA G		5240	2600	24	11 15E 5	5 WR				
Same		IRR	AA G		3330	3300	24	11 15E 18	WR				
V SN	17 00	) IRR			3252	550	24	11 15E 15	5 WR	75.50	75.50	75.50	75.50
V SN	19 00		AA G		1294	751	13	11 15E 4	l WR	3,834.00	3,834.00		
V SN	30 00	) IND	AA G	SE SW SW	338	4021	29	11 16E 9	WR	1,120.00	1,120.00		
Same		IND	AA G	SE SW SW	307	4513	29	11 16E 8	WR				
V SN	33 00	) IRR	AA G		4415	2300	24	11 15E 4	l WR	27.00	27.00	27.00	27.00
=====	<b>===</b> =====	=====	====	=========	======	=====		=======		========	========	=======	======

Report Date Tuesday, October 11 2016

AMOUNT STATISTICS REPORT FOR POINTS OF DIVERSION UNDER A

44985 00

1912 Feet West of the Southeast Corner of Section 30 T 11S R 16E

All wells >=

AMOUNT STATISTICS REPORT FOR POINTS OF DIVERSION UNDER A

44985 00 IND

Water Right and Points of Diversion Within 2.00 miles of point defined as:

mile (except Applicants)

GROUNDWATER ONLY

2975 Feet North and

Use ST SR Dist (ft) Q4 Q3 Q2 Q1 FeetN FeetW Sec Twp Rng ID Batt Auth Quan Add Quan Unit 1292 00 IND NK G 10257 -- -- --2045 15E 930.00 930.00 AF 5483 00 IND NK G 9672 -- -- --1294 751 5520.60 756.60 AF Same 10257 -- -- --1294 2045 9948 -- -- --Same 1294 1398 13 15E 11 Same 10498 -- -- --2355 285 13 15E 10104 -- -- --Same 1993 129 13 11 15E 10 31638 00 IRR NK G 8438 -- -- --2650 3500 24 15E 28.00 28.00 AF Α 35712 00 MUN NK G 8969 -- -- --Α 1580 4800 24 11 15E 3 6.78 6.78 AF 7109 -- -- --A\_\_ 35765 00 MUN NK G 4250 3800 25 11 15E 1.14 1.14 36211 00 CON NK G 4143 -- NE NE SW 13 G 2555 13.69 13.69 Α 3240 29 11 16E 4195 -- NE NE SW 2585 Same 3185 29 11 16E 15 4091 -- NE NE SW 2525 Same 3295 29 11 16E 16 B 6479 -- NE NW SE 2050 Α 38591 00 IRR NK G 1450 24 11 15E 10 14.00 14.00 AF 38723 00 IND NK G 4117 -- NE NE SW 2635 14.80 14.80 A\_\_\_ 3260 29 11 16E ΑF 39269 00 IRR NK G 5538 -- SE NE SE 1900 220 14.00 14.00 A\_\_ 24 11 15E 8150 -- SW SE SW A\_\_ 40820 00 REC NK G 450 3550 18 16E 5.80 5.80 AF - Applicant
AF Batch Plant
Well 111) -- SE SW NE 5.22 A\_\_\_ 43436 00 IND NK G 3008 1806 3.0 11 16E 5.22 43625 00 IND NK G 2757 -- SW SE SE 8.60 8.60 740 16E Α Α 43934 00 IND NK G 8565 -- -- --4836 5166 25 15E 10.17 10.17 44985 00 IND NK G 0 -- SE SW NE 2975 1912 30 14.84 14.84 A\_\_\_ 16E 4295 -- -- --47908 00 DEW KE G 3167 1098 25 11 15E 6 29627.00 29627.00 AF Α 7394 -- -- --4291 4082 25 15E Same 7963 -- -- --Same 4006 4703 25 11 15E 7108 -- NW SE SE Same 805 1076 20 11 16E 7 2930 -- SW NW SW 17 Same 1688 4708 29 11 16E 3938 -- -- --624 4167 29 16E 18 Same 11 3049 -- -- --743 Same 5232 29 11 16E 19 2566 --- -- --941 347 3.0 11 16E 15 Same 2654 -- -- --722 30 510 11 16E 16 Same Same 2721 -- -- --700 420 30 11 16E 2787 -- -- --Same 667 350 48380 00 CON LO G 4143 -- NE NE SW 2555 3240 29 16E 13 G 25.01 25.01 AF A\_ Same 4195 -- NE NE SW 2585 3185 29 11 16E 15 B 4091 -- NE NE SW 16 B Same 2525 3295 29 11 16E 48381 00 IND KE G 4117 -- NE NE SW 2635 3260 29 11 16E 11 32.26 32.26 T 20109017 00 IND GY G 342.00 342.00 8150 -- SW SE SW 16E 450 3550 18 11 T 20169022 00 IND GY G 628 -- NW SW NE 3583 2071 30 11 16E 7 10.01 10.01 T 20169074 00 IND AY G 0 -- SE SW NE 30.69 2975 1912 30 11 16E 11 30.69 AF VSN 7 00 IRR AA G 9549 -- -- --5240 2600 24 11 15E 41.00 41.00 AF 10416 -- -- --5240 3900 24 15E 6 11 Same 8712 -- -- --3330 3300 24 11 15E 18 Same VSN 17 00 TRR NV G 6824 -- NC SE NE 3252 15E 15 75.50 75.50 550 24 11 VSN 19 00 TND AA G 9672 -- -- --1294 751 13 15E 4 3834.00 3834.00 AF 11 3871 -- SE SW SW 1120.00 AF VSN 30 00 IND AA G 307 4513 29 11 16E 8 1120.00

```
4228 -- SE SW SW 338 4021 29 11 16E 9
                      8814 -- -- -- 4415 2300 24 11 15E 4
                                                                 27.00 27.00 AF
VSN
     33 00 IRR AA G
Total Net Ouantities Authorized: Direct
                                      Storage
Total Requested Amount (AF) =
                           30.69
Total Permitted Amount (AF) = 30011.26
                                         .00
Total Inspected Amount (AF) =
                           25.01
                                          .00
Total Pro Cert Amount (AF) =
                            .00
                                          .00
                         1823.64
Total Certified Amount (AF) =
                                          .00
Total Vested Amount (AF) =
                         5097.50
                                          .00
TOTAL AMOUNT (AF) = 36988.11
                                          .00
An \star after the source of supply indicates a pending application for change under the file number.
An \star after the ID indicates a 15 AF exemption was granted under the file number.
A "G" in the Batt column indicates the GEO CTR of a battery. A "B" indicates a well in the battery.
The number in the Batt column is the number of wells in the battery.
Water Rights and Points of Diversion Within 2.00 miles of point defined as:
  2975 Feet North and 1912 Feet West of the Southeast Corner of Section 30 T 11S R 16E
GROUNDWATER ONLY
WATER USE CORRESPONDENTS:
_______
File Number
          Use ST SR
   1292 00 IND NK G
> GOODYEAR TIRE & RUBBER CO
> ENVIRONMENTAL MANAGER
> PO BOX 1069
> TOPEKA KS 66601
>-----
A__ 5483 00 IND NK G
> GOODYEAR TIRE & RUBBER CO
> ENVIRONMENTAL MANAGER
> PO BOX 1069
> TOPEKA KS 66601
  31638 00 IRR NK G
> DORIS A MEIER
> 2525 NW LOWER SILVER LAKE RD
> TOPEKA KS 66618
A 35712 00 MUN NK G
> CITY OF TOPEKA
> WATER POLLUTION CONTROL
> 1115 POPLAR
> TOPEKA KS 66616
>-----
A 35765 00 MUN NK G
> CITY OF TOPEKA
> WATER POLLUTION CONTROL
> 1115 POPLAR
> TOPEKA KS 66616
>-----
```

Same

#### Schemm, Doug

Subject:

Kansas Sand and Concrete-File No. 49,689 A

From: Tietsort, Katie

Sent: Tuesday, October 18, 2016 10:28 AM

To: Schemm, Doug

Subject: RE: Kansas Sand and Concrete

Doug,

As we have discussed previously, the TFO agrees with the conversion of this application and your recommendation of approval for the application.

Thanks for your work on this project,

Katie

Katie Tietsort
Water Commissioner, Topeka Field Office
Kansas Department of Agriculture, Division of Water Resources
6531 SE Forbes Ave, Ste B
Topeka, KS 66619
(785) 296-5733
Katie.Tietsort@ks.gov

From: Schemm, Doug

**Sent:** Monday, October 17, 2016 12:46 PM **To:** Tietsort, Katie < <u>Katie.Tietsort@ks.gov</u>>

Subject: Kansas Sand and Concrete

This is the term permit 20169074 that I converted over to a regular application.

#### Schemm, Doug

From:

Schemm, Doug

Sent:

Monday, October 17, 2016 1:03 PM

To:

'krwad@att.net'

Subject:

Kansas Sand and Concrete - additional water

**Attachments:** 

Notification of KS River Assurance District.docx; 20161017114942636.tif

#### Galen,

This is just for some additional water from an existing well at this sand pit. They overpumped the senior file, and this will address that problem.

Thanks, Doug

#### Schemm, Doug

From:

Turney, Brent

Sent:

Tuesday, October 11, 2016 1:42 PM

To:

Schemm, Doug

Cc:

Letourneau, Lane; Tietsort, Katie

Subject:

RE: Kansas Sand and Concrete Term Application, File No. 20169074

Doug,

Term Permit File No. 20169074 falls after File No. 49,689 and before File No. 49,690. Give it File No. 49,689 A

Brent A. Turney, P.G.
Kansas Department of Agriculture
Division of Water Resources
1320 Research Park Drive
Manhattan Kansas 66502
(785) 564-6645
Brent.Turney@ks.gov
www.agriculture.ks.gov

From: Schemm, Doug

**Sent:** Tuesday, October 11, 2016 1:16 PM **To:** Turney, Brent < <u>Brent.Turney@ks.gov</u>>

Cc: Letourneau, Lane < Lane.Letourneau@ks.gov >; Tietsort, Katie < Katie.Tietsort@ks.gov >

Subject: Kansas Sand and Concrete Term Application, File No. 20169074

I assisted this owner with a Term Permit application (File No. 20169074) to address over pumping on File No. 44,985. That was a mistake. I should have had them file a Regular Appropriation Permit. The senior file 44,985 references a determination from Lee Rolfs that the use of water under this file should be considered to be non-consumptive. Non-consumptive uses of water are exempt from safe yield per 5-3-10. This is a long term use of water and should not be a term permit.

Brent, I need to know what file number to assign this file, and I will fill out a regular appropriation application, and process it as such.

Let me know what else needs to be done.

Thanks, Doug



Topeka Field Office 6531 SE Forbes Ave., Suite B Topeka, Kansas 66619

Jackie McClaskey, Secretary David W. Barfield, Chief Engineer Katherine A. Tietsort, Water Commissioner www.agriculture.ks.gov

Phone: (785) 296-5733

Fax: (785) 862-2460

Sam Brownback, Governor

October 17, 2016

KANSAS RIVER WATER ASSURANCE DISTRICT NO 1 % GALEN BIERY 212 SW 7<sup>TH</sup> STREET TOPEKA KS 66603-3717

Application, File No. 49,689A (Converted Term Application, File No. 20169074) Re:

Dear Mr. Biery:

This is to advise you that Kansas Sand and Concrete, Inc. has filed the application referred to above for a permit to appropriate additional groundwater from an existing well for use at an existing sand and gravel operation. Please note that this was initially submitted as Term Permit Application, File No. 20169074. However, because of the length of time this project is likely to continue, and the non-consumptive use of water, the term permit was converted to a regular appropriation of water. File No. 49,689A is requesting 10 million gallons per calendar year to be diverted at 100 gallons per minute for industrial use, for sand and gravel sorting and washing. The well is located in the Northeast Ouarter of Section 30, Township 11 South, Range 16 East, in Shawnee County, Kansas. As noted above, as typical with these types of operations, the water use is non-consumptive, with most of the water returning to the river.

The applicant slightly exceeded the authorized quantity of water under their senior File No. 44,985, and approval of this new application will provide additional water to address this issue.

As you know, the Kansas River Water Assurance Program Operations Agreement states, in part, that "the District reserves the right to review all applications to appropriate water and change applications, including term permits, filed with the Division of Water Resources that propose the diversion of water from the Kansas River or its alluvium". Therefore, you are being notified of receipt of this application in order that you may be fully informed of the proposed location of the applicant's points of diversion and proposed use of water.

You may contact me at (785) 296-3495 with any questions or comments.

Sincerely,

Douglas W. Schemm **Environmental Scientist** Topeka Field Office

**Enclosure** 

## FORM TO BE USED WHEN APPLICABLE WHEN FILING AN APPLICATION FOR PERMIT TO APPROPRIATE WATER FOR BENEFICIAL USE

The Kansas Legislature has established minimum desirable streamflows for the streams listed below. If your proposed diversion of water is going to be from one of these watercourses or adjacent alluvial aquifers, please complete the back side of this page and submit it along with your application for permit to appropriate water.

Arkansas River

Big Blue River Chapman Creek

Chikaskia River
Cottonwood River
Delaware River
Little Arkansas River
Little Blue River

Marais des Cygnes River Medicine Lodge River

Mill Creek (Wabaunsee Co. area)

Neosho River

Ninnescah River

North Fork Ninnescah River

Rattlesnake Creek Republican River Saline River Smoky Hill River Solomon River

South Fork Ninnescah

Spring River Walnut River Whitewater River

Assurance Districts have been formed on the following rivers:

Kansas River

Marias des Cygnes River

Neosho River

The Kansas Water Office has Water Reservation Rights for the following reservoirs:

Big Hill Clinton Marion Melvern Milford Perry

Elk City Hillsdale

Perry Pomona

John Redmond

Council Grove

**Tuttle Creek** 

#### **FEE SCHEDULE**

1. The fee for an application for a permit to appropriate water for beneficial use, except for domestic use, shall be (see paragraph No. 2 below if requesting storage):

ACRE-FEET FEE

0-100 \$200.00 \( \sigma \)
101-320 \$300.00

4000 then 320 \$200.00 plus \$20.00 for 6

More than 320 \$300.00 plus \$20.00 for each additional 100 acre-feet or any part thereof.

2. The fee for an application in which storage is requested, except for domestic use, shall be:

ACRE-FEET FEE

0-250 \$200.00

More than 250 \$200.00 plus \$20.00 for each additional 250 acre-feet of storage or any part thereof.

Note: If an application requests both direct use *and* storage, the fee charged shall be as determined under No. 1 or No. 2 above, whichever is greater, but not both fees.

3. The fee for an application for a permit to appropriate water for water power or dewatering purposes shall be \$100.00 plus \$200.00 for each 100 cubic feet per second, or part thereof, of the diversion rate requested.

Note: The applicant shall notify the Chief Engineer and pay the statutorily required field inspection fee of \$400.00 when construction of the works for diversion has been completed, except that for applications filed on or after July 1, 2009, for works constructed for sediment control use and for evaporation from a groundwater pit for industrial use shall be accompanied by a field inspection fee of \$200.00.

#### MAKE CHECKS PAYABLE TO THE KANSAS DEPARTMENT OF AGRICULTURE

#### **ATTENTION**

A Water Conservation Plan may be required per K.S.A. 82a-733. A statement that your application for permit to appropriate water may be subject to the minimum desirable streamflow requirements per K.S.A. 82a-703a, b, and c may also be required from you. After the Division of Water Resources has had the opportunity to review your application, you will be notified whether or not you will need to submit a Water Conservation Plan. You also may be required to install a water flow meter or water stage measuring device on your diversion works prior to diverting water. There may be other special conditions or Groundwater Management District regulations that you will need to comply with if this application is approved.

#### **CONVERSION FACTORS**

1 acre-foot equals 325,851 gallons

1 million gallons equal 3.07 acre-feet

#### KANSAS DEPARTMENT OF AGRICULTURE **Division of Water Resources**

#### MEMORANDUM

TO: Files

**DATE:** July 9, 2002

RECEIVED

FROM: Nathan E. Westrup

RE: **Application** 

File No. 44,985

TOPEKA FIELD OFFICE DIVISION OF WATER RESOURCES

AUG 01 2002

Kansas Sand & Concrete, Inc. has filed the above referenced application proposing to appropriate 10.8 million gallons (33.1 acre-feet) of groundwater at a rate of diversion not to exceed 125 gallons per minute (0.28 c.f.s.) for industrial use. The proposed appropriation is located within the Kansas River Drainage Basin. There are currently 6,357.47 acre-feet of groundwater appropriated within a two (2) mile radius of the proposed point of diversion.

The requested quantity of 33.1 acre-feet is based on the amount of water needed for the operation of the wash well at 125 gpm for 180 days per year (8 hour days). The requested rate and quantity appear reasonable for the intended use.

This is an existing well and no log is available, however, test hole logs of nearby wells were submitted with this application. The source of supply will be the alluvium of the Kansas River (113).

The applicant has signed an Assurance District statement which informs the applicant that there could be times when the diversion of water may not be allowed under this permit.

Kansas Sand has several other wells on their property. A well authorized under Term Permit, File No. 939123 is located approximately 775 feet Northwest and a well authorized under Appropriation of Water, File No. 43,436 is located approximately 111 feet East. Based on a nearby well log and Theis analysis it appears that the effect of pumping the well under this application will be minimal. Theis shows that the maximum drawdown at the well located 111 feet East would be approximately 1.73 feet. All wells involved are existing, have been in operation for many years, and are located in very close proximity to the Kansas River. With sixty feet of saturated thickness, 1.73 feet of drawdown is not significant and a waiver of 5-4-4 is requested.

The proposed well operates in a non-consumptive manner to wash aggregate. After the water washes the aggregate it is returned to the Kansas River which is less than 200 feet from the well. K.A.R. 5-3-10(b)(2), exempts uses of water that have "no significant consumptive use" from K.A.R. 5-3-11, as interpreted by Lee Rolfs, KDA Legal.





### KANSAS DEPARTMENT OF AGRICULTURE Jackie McClaskey, Secretary of Agriculture

DIVISION OF WATER RESOURCES
David W. Barfield, Chief Engineer

## CERTIFICATE OF APPROPRIATION FOR BENEFICIAL USE OF WATER

WATER RIGHT, File No. 44,985

PRIORITY DATE February 14, 2002

WHEREAS, It has been determined by the undersigned that construction of the appropriation diversion works has been completed, that water has been used for beneficial purposes and that the appropriation right has been perfected, all in conformity with the conditions of approval of the application pursuant to the water right referred to above and in conformity with the laws of the State of Kansas.

NOW, THEREFORE, Be It Known that DAVID W. BARFIELD, the duly appointed, qualified and acting Chief Engineer of the Division of Water Resources of the Kansas Department of Agriculture, by authority of the laws of the State of Kansas, and particularly K.S.A. 82a-714, does hereby certify that, subject to vested rights and prior appropriation rights, the appropriator is entitled to make use of groundwater to be withdrawn by means of a well located in the Southeast Quarter of the Southwest Quarter of the Northeast Quarter (SE½ SW½ NE½) of hypothetical Section 30, in the Kaw Half-Breed Indian Land Survey No. 3, more particularly described as being near a point 2,975 feet North and 1,912 feet West of the Southeast corner of said section, in Township 11 South, Range 16 East, Shawnee County, Kansas, at a diversion rate not in excess of 86 gallons per minute (0.19 c.f.s.) and a quantity not to exceed 4.836 million gallons (14.84 acre-feet) of water per calendar year for industrial use in the North Half (N½) of hypothetical Section 30, in Kaw Half-Breed Indian Land Survey Nos. 3 and 4, Township 11 South, Range 16 East, Shawnee County, Kansas.

All terms, conditions and limitations applicable to the Appropriation of Water not expressly changed or removed by the issuance of the Certificate of Appropriation remain in full force and effect. Failure to comply with those terms, conditions and limitations, and those added or amended by this Certificate, will result in the suspension of this appropriation right or revocation and dismissal of this appropriation right.

1320 Research Park Drive Manhattan, Kansas 66502 Jackie McClaskey, Secretary



Phone: (785) 564-6700 Fax: (785) 564-6777 Email: ksag@kda.ks.gov www.agriculture.ks.gov

Sam Brownback, Governor

August 24, 2016

KANSAS SAND AND CONCRETE INC PO BOX 656 TOPEKA KS 66601

FILE COPY

RE: Application File No. 20169074

Dear Sir or Madam:

Your application for permit to appropriate water in 30-11S-16E in Shawnee County, was received and has been assigned the file number noted above.

As a matter of record, the Division of Water Resources has on hand a large number of applications awaiting processing. Therefore to be fair to all concerned, and so that we can process those applications on hand in the order they were received, we intend to concentrate on the backlog of applications until the issue is resolved. Once review of your application has begun, we will contact you, if additional information is required.

In accordance with the provisions of the Kansas Water Appropriation Act, a portion of which is included below, the use of water as proposed prior to approval of the application is unlawful. Once approved, compliance with the terms, conditions and limitations of the permit is necessary. Conservation of the water resources of Kansas is required.

Section 82a-728 of the Kansas Water Appropriation Act, provides (a) except for the appropriation of water for the purpose of domestic use, . . . it shall be unlawful for any person to appropriate or threaten to appropriate water from any source without first applying for and obtaining a permit to appropriate water in accordance with the provisions of the Water Appropriation Act or for any person to violate any condition of a vested right, appropriation right or an approved application for a permit to appropriate water for beneficial use.

(b) (1) The violation of any provision of this section by any person is a class C misdemeanor . . .

A class C misdemeanor is punishable by a fine not to exceed \$500 and/or a term of confinement not to exceed one month in the county jail. Each day that the violation occurs constitutes a separate offense.

If you have any questions, please contact me at (785) 564-6645. If you wish to discuss a specific file, please have the file number ready so that we may help you more efficiently.

Sincerely,

Brent A Turney, P.G.

Change Application Unit Supervisor

Water Appropriation Program

BAT: dlw

pc: T

TOPEKA Field Office

**GMD** 

#### Kansas Sand & Concrete, Inc. Section 30, Township 11 South, Range 16 East Shawnee County



Proposed Point of Diversion

Proposed Place of Use

All known wells within one-half mile of the proposed point of diversion are shown on this map.

